

Fortress Lineset Covers - RectorSeal

SKU	Case Qty	Size	Desc	Interleaved	UPC	Weight	Dimensions
84005	1	LD 3.5" 12"WALL DUCT KIT WH 92	LDK92W Kit, Architectural grade polymer lineset ducting	10021400000000	021449840057	9.3	49 × 10.5 × 4 in
84025	1	LD 3.5" 12"WALL DUCT KIT IV 92	LDK92I Kit, Architectural grade polymer lineset ducting	10021400000000	021449840255	9.3	49 × 10.5 × 4 in
84045	1	LD 3.5" 12"WALL DUCT KIT GY 92	LDK92G Kit, Architectural grade polymer lineset ducting	10021449840450	021449840453	9.3	49 × 10.5 × 4 in
84065	1	LD 3.5" 12"WALL DUCT KIT BR 92	LDK92B Kit, Architectural grade polymer lineset ducting	10021449840658	021449840651	9.3	N/A
84105	1	LD 4.5"12"WALL DUCT KIT WH 122	LDK122W Kit, Architectural grade polymer lineset ducting	10021400000000	021449841054	10.11	N/A
84125	1	LD 4.5"12"WALL DUCT KIT IV 122	LDK122I Kit, Architectural grade polymer lineset ducting	10021400000000	021449841252	10.11	N/A
84145	1	LD 4.5"12"WALL DUCT KIT GY 122	LDK122G Kit, Architectural grade polymer lineset ducting	10021449841457	021449841450	10.11	N/A
84165	1	LD 4.5"12"WALL DUCT KIT BR 122	LDK122B Kit, Architectural grade polymer lineset ducting	10021449841655	021449841658	10.11	N/A
84240	1	LD 3.5" 45° IN VERT ELL GY 92	(LCFI92G) Architectural grade polymer lineset ducting	10021400000000	021449842402	0.25	4.75 × 3.875 × 2.75 in
84241	1	LD 3.5" 45° OUT VERT ELL GY 92	(LCFO92G) Architectural grade polymer lineset ducting	10021400000000	021449842419	0.16	4.625 × 3.875 × 2.75 in
84242	1	LD 3.5" 90° IN VERT ELL GY 92	(LCI92G) Architectural grade polymer lineset ducting	10021400000000	021449842426	0.28	5.25 × 5.25 × 2.75 in
84243	1	LD 3.5" 90° OUT VERT ELL GY 92	(LCO92G) Architectural grade polymer lineset ducting	10021400000000	021449842433	0.22	4.5 × 4.5 × 2.75 in
84247	1	LD 3.5" END FITTING GY 92	(LEN92G) Architectural grade polymer lineset ducting	10021400000000	021449842471	0.14	4.25 × 3.875 × 2.75 in
84248	1	LD 3.5" FLEXIBLE ELL GY 92	(LF92G) Architectural grade polymer lineset	10021400000000	021449842488	1.25	40 × 3.5 × 2.5 in

SKU	Case Qty	Size	Desc	Interleaved	UPC	Weight	Dimensions
84249	1	LD 3.5" FLEX ADAPTOR GY 92	ducting (LFJ92G) Architectural grade polymer lineset ducting	10021400000000	021449842495	0.14	3.125 × 3.875 × 2.75 in
84250	1	LD 3.5" COUPLER GY 92	(LJ92G) Architectural grade polymer lineset ducting	10021400000000	021449842501	0.12	2.625 × 3.875 × 2.75 in
84251	1	LD 3.5" 90° FLAT ELL GY 92	(LK92G) Architectural grade polymer lineset ducting	10021400000000	021449842518	0.26	5.75 × 5.75 × 2.75 in
84252	1	LD 3.5" 45° FLAT ELL GY 92	(LKF92G) Architectural grade polymer lineset ducting	10021400000000	021449842525	0.16	4.875 × 4.875 × 2.75 in
84253	1	LD 3.5" 90° SWEEP ELL GY 92	(LKS92G) Architectural grade polymer lineset ducting	10021400000000	021449842532	0.67	13 × 13 × 2.75 in
84254	1	LD 3.5" SOFFIT INLET GY 92	(LP92G) Architectural grade polymer lineset ducting	10021400000000	021449842549	0.18	3.5 × 6 × 4.875 in
84255	1	LD 3.5" TEE GY 92	(LT92G) Architectural grade polymer lineset ducting	10021400000000	021449842556	0.34	7.75 × 5.75 × 2.75 in
84256	1	LD 3.5" WALL INLET GY 92	(LW92G) Architectural grade polymer lineset ducting	10021400000000	021449842563	0.4	9 × 4.38 × 3.125 in
84257	1	LD 3.5" WALL FLANGE GY 92	(LWF92G) Architectural grade polymer lineset ducting	10021400000000	021449842570	0.5	5 × 6 × 2.125 in
84260	1	LD 3.5" 45° IN VERT ELL BR 92	(LCFI92B) Architectural grade polymer lineset ducting	10021400000000	021449842600	0.32	4.75 × 3.875 × 2.75 in
84261	1	LD 3.5" 45° OUT VERT ELL BR 92	(LCFO92B) Architectural grade polymer lineset ducting	10021400000000	021449842617	0.23	4.625 × 3.875 × 2.75 in
84262	1	LD 3.5" 90° IN VERT ELL BR 92	(LCI92B) Architectural grade polymer lineset ducting	10021400000000	021449842624	0.4	5.25 × 5.25 × 2.75 in
84263	1	LD 3.5" 90° OUT VERT ELL BR 92	(LCO92B) Architectural grade polymer lineset ducting	10021400000000	021449842631	0.28	4.5 × 4.5 × 2.75 in
84267	1	LD 3.5" END FITTING BR 92	(LEN92B) Architectural grade polymer lineset ducting	10021400000000	021449842679	0.2	4.25 × 3.875 × 2.75 in

SKU	Case Qty	Size	Desc	Interleaved	UPC	Weight	Dimensions
84268	1	LD 3.5" FLEXIBLE ELL BR 92	(LF92B) Architectural grade polymer lineset ducting	10021400000000	021449842686	1.25	40 × 3.5 × 2.5 in
84269	1	LD 3.5" FLEX ADAPTOR BR 92	(LFJ92B) Architectural grade polymer lineset ducting	10021400000000	021449842693	0.33	3.125 × 3.875 × 2.75 in
84270	1	LD 3.5" COUPLER BR 92	(LJ92B) Architectural grade polymer lineset ducting	10021400000000	021449842709	0.17	2.625 × 3.875 × 2.75 in
84271	1	LD 3.5" 90° FLAT ELL BR 92	(LK92B) Architectural grade polymer lineset ducting	10021400000000	021449842716	0.33	5.75 × 5.75 × 2.75 in
84272	1	LD 3.5" 45° FLAT ELL BR 92	(LKF92B) Architectural grade polymer lineset ducting	10021400000000	021449842723	0.23	4.875 × 4.875 × 2.75 in
84273	1	LD 3.5" 90° SWEEP ELL BR 92	(LKS92B) Architectural grade polymer lineset ducting	10021400000000	021449842730	0.67	13 × 13 × 2.75 in
84274	1	LD 3.5" SOFFIT INLET BR 92	(LP92B) Architectural grade polymer lineset ducting	10021400000000	021449842747	0.28	3.5 × 6 × 4.875 in
84275	1	LD 3.5" TEE BR 92	(LT92B) Architectural grade polymer lineset ducting	10021400000000	021449842754	0.47	7.75 × 5.75 × 2.75 in
84276	1	LD 3.5" WALL INLET BR 92	(LW92B) Architectural grade polymer lineset ducting	10021400000000	021449842761	0.4	9 × 4.38 × 3.125 in
84277	1	LD 3.5" WALL FLANGE BR 92	(LWF92B) Architectural grade polymer lineset ducting	10021400000000	021449842778	0.5	5 × 6 × 2.125 in
84340	1	LD 4.5" 45° IN VERT ELL GY 122	(LCFI122G) Architectural grade polymer lineset ducting	10021400000000	021449843409	0.42	6.25 × 4.875 × 3.5 in
84341	1	LD 4.5" 45° OUT VERT ELL GY 122	(LCFO122G) Architectural grade polymer lineset ducting	10021400000000	021449843416	0.33	5.25 × 4.875 × 3.5 in
84342	1	LD 4.5" 90° IN VERT ELL GY 122	(LCI122G) Architectural grade polymer lineset ducting	10021400000000	021449843423	0.5	5.25 × 5.25 × 3.5 in
84343	1	LD 4.5" 90° OUT VERT ELL GY 122	(LCO122G) Architectural grade polymer lineset ducting	10021400000000	021449841436	0.42	5.25 × 5.25 × 3.25 in
84346	1	LD 4.5"-3.5"	(LDR12292G)	10021400000000	021449843461	0.25	3 × 4.875 ×

SKU	Case Qty	Size	Desc	Interleaved	UPC	Weight	Dimensions
		REDUCER GY 122-92	Architectural grade polymer lineset ducting				3.875 in
84347	1	LD 4.5" END FITTING GY 122	(LEN122G) Architectural grade polymer lineset ducting	10021400000000	021449843478	0.25	4.25 × 4.875 × 3.5 in
84348	1	LD 4.5" FLEXIBLE ELL GY 122	(LF122G) Architectural grade polymer lineset ducting	10021400000000	021449843485	1.67	480 × 4.5 × 3.25 in
84349	1	LD 4.5" FLEX ADAPTOR GY 122	(LFJ122G) Architectural grade polymer lineset ducting	10021400000000	021449843492	0.42	3.125 × 4.875 × 3.5 in
84350	1	LD 4.5" COUPLER GY 122	(LJ122G) Architectural grade polymer lineset ducting	10021400000000	021449843508	0.17	2.625 × 4.875 × 3.5 in
84351	1	LD 4.5" 90° FLAT ELL GY 122	(LK122G) Architectural grade polymer lineset ducting	10021400000000	021449843515	0.42	6.25 × 6.5 × 3.5 in
84352	1	LD 4.5" 45° FLAT ELL GY 122	(LKF122G) Architectural grade polymer lineset ducting	10021400000000	021449843522	0.3	6.5 × 6.5 × 3.5 in
84353	1	LD 4.5" 90° SWEEP ELL GY 122	(LKS122G) Architectural grade polymer lineset ducting	10021400000000	021449843539	0.83	14 × 14 × 3.5 in
84354	1	LD 4.5" SOFFIT INLET GY 122	(LP122G) Architectural grade polymer lineset ducting	10021400000000	021449843546	0.33	3.5 × 7 × 5.5 in
84355	1	LD 4.5" TEE GY 122	(LT122G) Architectural grade polymer lineset ducting	10021400000000	021449843553	0.58	7.75 × 6.5 × 3.5 in
84356	1	LD 4.5" WALL INLET GY 122	(LW122G) Architectural grade polymer lineset ducting	10021400000000	021449843560	0.42	9.75 × 5.375 × 3.125 in
84357	1	LD 4.5" WALL FLANGE GY 122	(LWF122G) Architectural grade polymer lineset ducting	10021400000000	021449843577	0.58	6.5 × 7.75 × 2.625 in
84360	1	LD 4.5" 45° IN VERT ELL BR 122	(LCFI122B) Architectural grade polymer lineset ducting	10021400000000	021449843607	0.42	6.25 × 4.875 × 3.5 in
84361	1	LD 4.5" 45° OUT VERT ELL BR 122	(LCFO122B) Architectural grade polymer lineset ducting	10021400000000	021449843614	0.33	5.25 × 4.875 × 3.5 in
84362	1	LD 4.5" 90° IN VERT ELL BR	(LCI122B) Architectural grade	10021400000000	021449843621	0.5	5.25 × 5.25 × 3.5 in

SKU	Case Qty	Size	Desc	Interleaved	UPC	Weight	Dimensions
		122	polymer lineset ducting				
84363	1	LD 4.5" 90°OUT VERT ELL BR 122	(LC0122B) Architectural grade polymer lineset ducting	10021400000000	021449843638	0.42	5.25 × 5.25 × 3.5 in
84366	1	LD 4.5"-3.5" REDUCER BR 122-92	(LDR12292B) Architectural grade polymer lineset ducting	10021400000000	021449843669	0.25	3 × 4.875 × 3.875 in
84367	1	LD 4.5" END FITTING BR 122	(LEN122B) Architectural grade polymer lineset ducting	10021400000000	021449843676	0.25	4.25 × 4.875 × 3.5 in
84368	1	LD 4.5" FLEXIBLE ELL BR 122	(LF122B) Architectural grade polymer lineset ducting	10021400000000	021449843683	0.17	480 × 4.5 × 3.25 in
84369	1	LD 4.5" FLEX ADAPTOR BR 122	(LFJ122B) Architectural grade polymer lineset ducting	10021400000000	021449843690	0.42	3.125 × 4.875 × 3.5 in
84370	1	LD 4.5" COUPLER BR 122	(LJ122B) Architectural grade polymer lineset ducting	10021400000000	021449843706	0.17	2.625 × 4.875 × 3.5 in
84371	1	LD 4.5" 90° FLAT ELL BR 122	(LK122B) Architectural grade polymer lineset ducting	10021400000000	021449843713	0.42	6.25 × 6.5 × 3.5 in
84372	1	LD 4.5" 45° FLAT ELL BR 122	(LKF122B) Architectural grade polymer lineset ducting	10021400000000	021449843720	0.3	6.5 × 6.5 × 3.5 in
84373	1	LD 4.5" 90° SWEEP ELL BR 122	(LKS122B) Architectural grade polymer lineset ducting	10021400000000	021449843737	0.83	14 × 14 × 3.5 in
84374	1	LD 4.5" SOFFIT INLET BR 122	(LP122B) Architectural grade polymer lineset ducting	10021400000000	021449843746	0.33	3.5 × 7 × 5.5 in
84375	1	LD 4.5" TEE BR 122	(LT122B) Architectural grade polymer lineset ducting	10021400000000	021449843751	0.58	7.75 × 6.5 × 3.5 in
84376	1	LD 4.5" WALL INLET BR 122	(LW122B) Architectural grade polymer lineset ducting	10021400000000	021449843768	0.42	9.75 × 5.375 × 4 in
84377	1	LD 4.5" WALL FLANGE BR 122	(LWF122B) Architectural grade polymer lineset ducting	10021400000000	021449843775	0.58	6.5 × 7.75 × 2.625 in
84000	6	LD 3.5" 45° IN VERT ELL WH 92	(LCFI92W) Architectural grade polymer lineset	10021400000000	021449840002	2.33	4.75 × 3.875 × 2.75 in

SKU	Case Qty	Size	Desc	Interleaved	UPC	Weight	Dimensions
			ducting				
84001	6	LD 3.5" 45° OUT VERT ELL WH 92	(LCF092W) Architectural grade polymer lineset ducting	10021400000000	021449840019	1.66	4.625 × 3.875 × 2.75 in
84002	6	LD 3.5" 90° IN VERT ELL WH 92	(LCI92W) Architectural grade polymer lineset ducting	10021400000000	021449840026	2.57	5.25 × 5.25 × 2.75 in
84003	6	LD 3.5" 90° OUT VERT ELL WH 92	(LCO92W) Architectural grade polymer lineset ducting	10021400000000	021449840033	2.02	4.5 × 4.5 × 2.75 in
84004	6	LD 3.5" DUCT 8' LENGTH WH 92	(LD92W) Architectural grade polymer lineset ducting	10021400000000	021449840040	23	96 × 3.625 × 2.625 in
84007	6	LD 3.5" END FITTING WH 92	(LEN92W) Architectural grade polymer lineset ducting	10021400000000	021449840071	1.34	4.25 × 3.875 × 2.75 in
84008	6	LD 3.5" FLEXIBLE ELL WH 92	(LF92W) Architectural grade polymer lineset ducting	10021400000000	021449840088	8.57	40 × 3.5 × 2.5 in
84009	6	LD 3.5" FLEX ADAPTOR WH 92	(LFJ92W) Architectural grade polymer lineset ducting	10021400000000	021449840095	0.83	3.125 × 3.875 × 2.75 in
84010	6	LD 3.5" COUPLER WH 92	(LJ92W) Architectural grade polymer lineset ducting	10021400000000	021449840101	1.14	2.625 × 3.875 × 2.75 in
84011	6	LD 3.5" 90° FLAT ELL WH 92	(LK92W) Architectural grade polymer lineset ducting	10021400000000	021449840118	2.42	5.75 × 5.75 × 2.75 in
84012	6	LD 3.5" 45° FLAT ELL WH 92	(LKF92W) Architectural grade polymer lineset ducting	10021400000000	021449840125	1.62	4.875 × 4.875 × 2.75 in
84013	6	LD 3.5" 90° SWEEP ELL WH 92	(LKS92W) Architectural grade polymer lineset ducting	10021400000000	021449840132	6.67	13 × 13 × 2.75 in
84014	6	LD 3.5" SOFFIT INLET WH 92	(LP92W) Architectural grade polymer lineset ducting	10021400000000	021449840149	1.94	3.5 × 6 × 4.875 in
84015	6	LD 3.5" TEE WH 92	(LT92W) Architectural grade polymer lineset ducting	10021400000000	021449840156	3.15	7.75 × 5.75 × 2.75 in
84016	6	LD 3.5" WALL INLET WH 92	(LW92W) Architectural grade polymer lineset ducting	10021400000000	021449840163	2.79	9 × 4.38 × 3.125 in

SKU	Case Qty	Size	Desc	Interleaved	UPC	Weight	Dimensions
84017	6	LD 3.5" WALL FLANGE WH 92	(LWF92W) Architectural grade polymer lineset ducting	10021400000000	021449840170	1.82	5 × 6 × 2.125 in
84020	6	LD 3.5" 45° IN VERT ELL IV 92	(LCFI92I) Architectural grade polymer lineset ducting	10021400000000	021449840200	2.33	4.75 × 3.875 × 2.75 in
84021	6	LD 3.5" 45° OUT VERT ELL IV 92	(LCFO92I) Architectural grade polymer lineset ducting	10021400000000	021449840217	1.66	4.625 × 3.875 × 2.75 in
84022	6	LD 3.5" 90° IN VERT ELL IV 92	(LCI92I) Architectural grade polymer lineset ducting	10021400000000	021449840224	2.57	5.25 × 5.25 × 2.75 in
84023	6	LD 3.5" 90° OUT VERT ELL IV 92	(LCO92I) Architectural grade polymer lineset ducting	10021400000000	021449840231	2.02	4.5 × 4.5 × 2.75 in
84024	6	LD 3.5" DUCT 8' LENGTH IV 92	(LD92I) Architectural grade polymer lineset ducting	10021400000000	021449840248	23	96 × 3.625 × 2.625 in
84027	6	LD 3.5" END FITTING IV 92	(LEN92I) Architectural grade polymer lineset ducting	10021400000000	021449840279	1.34	4.25 × 3.875 × 2.75 in
84028	6	LD 3.5" FLEXIBLE ELL IV 92	(LF92I) Architectural grade polymer lineset ducting	10021400000000	021449840286	8.57	40 × 3.5 × 2.5 in
84029	6	LD 3.5" FLEX ADAPTOR IV 92	(LFJ92I) Architectural grade polymer lineset ducting	10021400000000	021449840293	0.83	3.125 × 3.875 × 2.75 in
84030	6	LD 3.5" COUPLER IV 92	(LJ92I) Architectural grade polymer lineset ducting	10021400000000	021449840309	1.14	2.625 × 3.875 × 2.75 in
84031	6	LD 3.5" 90° FLAT ELL IV 92	(LK92I) Architectural grade polymer lineset ducting	10021400000000	021449840316	2.42	5.75 × 5.75 × 2.75 in
84032	6	LD 3.5" 45° FLAT ELL IV 92	(LKF92I) Architectural grade polymer lineset ducting	10021400000000	021449840323	1.62	4.875 × 4.875 × 2.75 in
84033	6	LD 3.5" 90° SWEEP ELL IV 92	(LKS92I) Architectural grade polymer lineset ducting	10021400000000	021449840330	6.67	13 × 13 × 2.75 in
84034	6	LD 3.5" SOFFIT INLET IV 92	(LP92I) Architectural grade polymer lineset ducting	10021400000000	021449840347	1.94	3.5 × 6 × 4.875 in
84035	6	LD 3.5" TEE IV	(LT92I)	10021400000000	021449840354	3.15	7.75 × 5.75 ×

SKU	Case Qty	Size	Desc	Interleaved	UPC	Weight	Dimensions
		92	Architectural grade polymer lineset ducting				2.75 in
84036	6	LD 3.5" WALL INLET IV 92	(LW92I) Architectural grade polymer lineset ducting	10021400000000	021449840361	2.79	9 × 4.38 × 3.125 in
84037	6	LD 3.5" WALL FLANGE IV 92	(LWF92I) Architectural grade polymer lineset ducting	10021400000000	021449840378	1.82	5 × 6 × 2.125 in
84044	6	LD 3.5" DUCT 8' LENGTH GY 92	(LD92G) Architectural grade polymer lineset ducting	10021400000000	021449840446	23	96 × 3.625 × 2.625 in
84064	6	LD 3.5" DUCT 8' LENGTH BR 92	(LD92B) Architectural grade polymer lineset ducting	10021400000000	021449840644	23	96 × 3.625 × 2.625 in
84100	6	LD 4.5" 45° IN VERT ELL WH 122	(LCFI122W) Architectural grade polymer lineset ducting	10021400000000	021449841009	2.89	6.25 × 4.875 × 3.5 in
84101	6	LD 4.5" 45°OUT VERT ELL WH 122	(LCFO122W) Architectural grade polymer lineset ducting	10021400000000	021449841016	2.24	5.25 × 4.875 × 3.5 in
84102	6	LD 4.5" 90° IN VERT ELL WH 122	(LCI122W) Architectural grade polymer lineset ducting	10021400000000	021449841023	3	5.25 × 5.25 × 3.5 in
84103	6	LD 4.5" 90°OUT VERT ELL WH 122	(LCO122W) Architectural grade polymer lineset ducting	10021400000000	021449841030	2.77	5.25 × 5.25 × 3.25 in
84104	6	LD 4.5" DUCT 8' LENGTH WH 122	(LD122W) Architectural grade polymer lineset ducting	10021400000000	021449841047	30.25	96 × 4.63 × 3.25 in
84106	6	LD 4.5"-3.5" REDUCER WH 122-92	(LDR12292W) Architectural grade polymer lineset ducting	10021400000000	021449841061	0.24	3 × 4.875 × 3.875 in
84107	6	LD 4.5" END FITTING WH 122	(LEN122W) Architectural grade polymer lineset ducting	10021400000000	021449841078	1.88	4.25 × 4.875 × 3.5 in
84108	6	LD 4.5" FLEXIBLE ELL WH 122	(LF122W) Architectural grade polymer lineset ducting	10021400000000	021449841085	11.13	480 × 4.5 × 3.25 in
84109	6	LD 4.5" FLEX ADAPTOR WH 122	(LFJ122W) Architectural grade polymer lineset ducting	10021400000000	021449841092	1.75	3.125 × 4.875 × 3.5 in
84110	6	LD 4.5" COUPLER WH	(LJ122W) Architectural grade	10021400000000	021449841108	1.52	2.625 × 4.875 × 3.5 in

SKU	Case Qty	Size	Desc	Interleaved	UPC	Weight	Dimensions
		122	polymer lineset ducting				
84111	6	LD 4.5" 90° FLAT ELL WH 122	(LK122W) Architectural grade polymer lineset ducting	10021400000000	021449841115	3.25	6.25 × 6.5 × 3.5 in
84112	6	LD 4.5" 45° FLAT ELL WH 122	(LKF122W) Architectural grade polymer lineset ducting	10021400000000	021449841122	2.24	6.5 × 6.5 × 3.5 in
84113	6	LD 4.5" 90° SWEEP ELL WH 122	(LKS122W) Architectural grade polymer lineset ducting	10021400000000	021449841139	8.25	14 × 14 × 3.5 in
84114	6	LD 4.5" SOFFIT INLET WH 122	(LP122W) Architectural grade polymer lineset ducting	10021400000000	021449841146	2.38	3.5 × 7 × 5.5 in
84115	6	LD 4.5" TEE WH 122	(LT122W) Architectural grade polymer lineset ducting	10021400000000	021449841153	3.67	7.75 × 6.5 × 3.5 in
84116	6	LD 4.5" WALL INLET WH 122	(LW122W) Architectural grade polymer lineset ducting	10021400000000	021449841160	4.69	9.75 × 5.375 × 3.125 in
84117	6	LD 4.5" WALL FLANGE WH 122	(LWF122W) Architectural grade polymer lineset ducting	10021400000000	021449841177	3.07	6.5 × 7.75 × 2.625 in
84120	6	LD 4.5" 45° IN VERT ELL IV 122	(LCFI122I) Architectural grade polymer lineset ducting	10021400000000	021449841207	2.89	6.25 × 4.875 × 3.5 in
84121	6	LD 4.5" 45° OUT VERT ELL IV 122	(LCFO122I) Architectural grade polymer lineset ducting	10021400000000	021449841214	2.24	5.25 × 4.875 × 3.5 in
84122	6	LD 4.5" 90° IN VERT ELL IV 122	(LCI122I) Architectural grade polymer lineset ducting	10021400000000	021449841221	3	5.25 × 5.25 × 3.5 in
84123	6	LD 4.5" 90° OUT VERT ELL IV 122	(LCO122I) Architectural grade polymer lineset ducting	10021400000000	021449841238	2.77	5.25 × 5.25 × 3.25 in
84124	6	LD 4.5" DUCT 8' LENGTH IV 122	(LD122I) Architectural grade polymer lineset ducting	10021400000000	021449841245	30.25	96 × 4.63 × 3.25 in
84126	6	LD 4.5"-3.5" REDUCER IV 122-92	(LDR12292I) Architectural grade polymer lineset ducting	10021400000000	021449841269	0.24	3 × 4.875 × 3.875 in
84127	6	LD 4.5" END FITTING IV 122	(LEN122I) Architectural grade polymer lineset	10021400000000	021449841276	1.88	4.25 × 4.875 × 3.5 in

SKU	Case Qty	Size	Desc	Interleaved	UPC	Weight	Dimensions
84128	6	LD 4.5" FLEXIBLE ELL IV 122	ducting (LF122I) Architectural grade polymer lineset ducting	10021400000000	021449841283	11.13	480 × 4.5 × 3.25 in
84129	6	LD 4.5" FLEX ADAPTOR IV 122	(LFJ122I) Architectural grade polymer lineset ducting	10021400000000	021449841290	1.75	3.125 × 4.875 × 3.5 in
84130	6	LD 4.5" COUPLER IV 122	(LJ122I) Architectural grade polymer lineset ducting	10021400000000	021449841306	1.52	2.625 × 4.875 × 3.5 in
84131	6	LD 4.5" 90° FLAT ELL IV 122	(LK122I) Architectural grade polymer lineset ducting	10021400000000	021449841313	3.25	6.25 × 6.5 × 3.5 in
84132	6	LD 4.5" 45° FLAT ELL IV 122	(LKF122I) Architectural grade polymer lineset ducting	10021400000000	021449841320	2.24	6.5 × 6.5 × 3.5 in
84133	6	LD 4.5" 90° SWEEP ELL IV 122	(LKS122I) Architectural grade polymer lineset ducting	10021400000000	021449841337	8.25	14 × 14 × 3.5 in
84134	6	LD 4.5" SOFFIT INLET IV 122	(LP122I) Architectural grade polymer lineset ducting	10021400000000	021449841344	2.38	3.5 × 7 × 5.5 in
84135	6	LD 4.5" TEE IV 122	(LT122I) Architectural grade polymer lineset ducting	10021400000000	021449841351	3.67	7.75 × 6.5 × 3.5 in
84136	6	LD 4.5" WALL INLET IV 122	(LW122I) Architectural grade polymer lineset ducting	10021400000000	021449841368	4.69	9.75 × 5.375 × 3.125 in
84137	6	LD 4.5" WALL FLANGE IV 122	(LWF122I) Architectural grade polymer lineset ducting	10021400000000	021449841375	3.07	6.5 × 7.75 × 2.625 in
84144	6	LD 4.5" DUCT 8' LENGTH GY 122	(LD122G) Architectural grade polymer lineset ducting	10021400000000	021449841443	30.25	N/A
84164	6	LD 4.5" DUCT 8' LENGTH BR 122	(LD122B) Architectural grade polymer lineset ducting	10021400000000	021449841641	30.25	96 × 4.63 × 3.25 in
84099	50	LD LINESSET DUCTING CLIP 12/BAG	(LDC) (12 pk 50 bags) Twistlock lineset duct clip	10021400000000	021449840996	0.08	6 × 6 × 0.25 in