



**IMPORTANT**

1. Always include complete heater model and serial number so that any specification change can be considered for parts shipment. It can save time and expense.
2. Specifications are subject to change without notice.
3. We reserve the right to substitute functional replacements.
4. Order by Part No.; not Heater Option Designation.



**Replacement Parts for Separated-Combustion Models SC, SCA, SCB, SCE, SSCBL, SSCDBL**


**Parts Form P-SC (Version A)**

Obsoletes Form P-SC

| Index of Parts by Model and Page   | Separated Combustion Models |              |        |                  |        |        |
|--|-----------------------------|--------------|--------|------------------|--------|--------|
|  | SC                          | SCA          | SCB    | SCE              | SSCBL  | SSCDBL |
|  | Duct Furnace                | Unit Heaters |        | Packaged Systems |        |        |
| <b>Blowers and Components</b>  | --                          | --           | 12     | 12               | 14     | 14     |
| Burner Rack and Carryovers   | 8                           | 8            | 8      | 8                | 8      | 8      |
| Burner Orifices  | 8                           | 8            | 8      | 8                | 8      | 8      |
| Cabinet Parts (Blower Section)   | --                          | --           | 12     | 13               | 14     | 14     |
| Cabinet Parts (Furnace Section)  | 4-7                         | 4-7          | 4-7    | 4-7              | 4-7    | 4-7    |
| Carryover Regulator  | 8                           | 8            | 8      | 8                | 8      | 8      |
| Concentric Adapter Box   | 11                          | 11           | 11     | 11               | 11     | 11     |
| Contactors (Motor)   | --                          | --           | 27     | 27               | 27     | 27     |
| Dampers and Controls, Inlet  | --                          | --           | --     | 34               | 34     | 34     |
| Drain, Condensate (Option CS)  | 5                           | --           | --     | 5                | 5      | 5      |
| Drive Components   | --                          | --           | 29-32  | 29-32            | 32-34  | 32-34  |
| Ductstat   | --                          | --           | --     | 26               | 26     | 26     |
| Electrical Components  | 23-28                       | 23-28        | 23-28  | 23-28            | 23-28  | 23-28  |
| Evaporative Cooling Module - See Replacement Parts Form P-REC                            |                             |              |        |                  |        |        |
| Fan and Components   | --                          | 11           | --     | --               | --     | --     |
| Filter Racks   | --                          | --           | --     | 13               | 14     | 14     |
| Filters  | --                          | --           | --     | 13               | 16     | 16     |
| Firestat   | --                          | --           | --     | 25               | 25     | 25     |
| Furnace (Ht Exchanger) Couplings   | --                          | --           | --     | --               | 6      | 6      |
| Heat Exchanger and Baffles   | 10                          | 10           | 10     | 10               | 10     | 10     |
| Limit Controls and Shields   | 25                          | 25           | 25     | 25               | 25     | 25     |
| Louvers  | --                          | 4            | 4      | 4                | --     | --     |
| Manifold, Special (BM Options)   | --                          | --           | --     | 36               | 36     | 36     |
| Manifold, Standard   | 8                           | 8            | 8      | 8                | 8      | 8      |
| Maxitrol Components  | --                          | --           | --     | 26               | 26     | 26     |
| Motors (Blower)  | --                          | --           | 17-18  | 18-22            | 18-22  | 18-22  |
| Motor (Damper)   | --                          | --           | --     | 34               | 34     | 34     |
| Motors (Fan)   | --                          | 11           | --     | --               | --     | --     |
| Motors (Venter)  | 7                           | 7            | 7      | 7                | 7      | 7      |
| Outlet Nozzle  | --                          | 5            | 5      | --               | --     | --     |
| Pilot  | 27-28                       | 27-28        | 27-28  | 27-28            | 27-28  | 27-28  |
| Pressure Switches (Combustion Air)   | 6-7                         | 6-7          | 6-7    | 6-7              | 6-7    | 6-7    |
| Pressure Switches (Other)  | --                          | --           | 27     | 27               | 27     | 27     |
| Relays   | 24-27                       | 24-27        | 24-27  | 24-27            | 24-27  | 24-27  |
| Remote Console (Option RC)   | --                          | --           | --     | 28               | 28     | 28     |
| Serial Number Designation  | 2                           | 2            | 2      | 2                | 2      | 2      |
| Starters   | --                          | --           | 17-18  | 18-22            | 18-22  | 18-22  |
| Switches, Disconnect   | 23                          | 23           | 23     | 23               | 23     | 23     |
| Switches, Toggle   | 23                          | 23           | 23     | 23               | 23     | 23     |
| Transformer  | 24, 27                      | 24, 27       | 24, 27 | 24, 27           | 24, 27 | 24, 27 |
| Valves (Manual)  | 9                           | 9            | 9      | 9                | 9      | 9      |
| Valves (Electric) - See Form P-VALVES; valve is identified by unit Serial No. (see pg 2) |                             |              |        |                  |        |        |
| Venters  | 7                           | 7            | 7      | 7                | 7      | 7      |
| Vent/Combustion Air Kits   | 11                          | 11           | 11     | 11               | 11     | 11     |

**Additional References:**

|  |
|--|
| <b>Website</b> (with downloadable files): <a href="http://www.RezSpec.com">www.RezSpec.com</a> |
| <b>Subject</b> ..... <b>Form</b>   |
| Service - Replacement Gas Valves, Ignition Controllers & Maxitrol Parts ..... P-VALVES         |
| Service - Converting to Other Gases ..... P-GC   |
| Service - Replacement Parts for Optional Evaporative Cooling Module ..... P-REC                |
| Installation/Operation - Model Series SC, Duct Furnace ..... I-SC                              |
| Installation/Operation - Model Series SCE Packaged Duct Furnace/Blower ..... I-SCE             |
| Installation/Operation - Model Series SSCBL and SSCDBL Packaged Systems ... I-SSCBL            |
| Installation/Operation - Vent Terminal/Combustion Air Packages ..... I-OPT-VC                  |
| Installation/Operation - Optional Evaporative Cooling Modules ..... I-OPT-EC                   |



## Replacement Blower Motors and Starters (cont'd)

### Model SCE, SSCBL, and SSCDBL - Replacement Blower Motors and Line Voltage Motor Starters (cont'd)

| Motor |     |        |            |      |      |    | Service<br>Factor | Power<br>Factor | Eff.<br>% | Reznor<br>P/N   | Starter<br>(line voltage) | Reznor<br>P/N | Overload<br>GE# | o.l.<br>min | o.l.<br>max |
|-------|-----|--------|------------|------|------|----|-------------------|-----------------|-----------|---|---------------------------|---------------|-----------------|-------------|-------------|
| Type  | HP  | P/N    | Mfr No.    | fla  | volt | ph |                   |                 |           |   |                           |               |                 |             |             |
| OPEN  | 1/2 | 159183 | H880       | 2.5  | 208  | 3  | 1.25              |                 |           | 151150  | CL00A310T-L               | 151189        | RTA1-J          | 1.90        | 2.70        |
| OPEN  | 1/2 | 159183 | H880       | 3    | 240  | 3  | 1.25              |                 |           | 151147  | CL00A310T-S               | 151190        | RTA1-K          | 2.50        | 4.10        |
| OPEN  | 1/2 | 159183 | H880       | 1.5  | 480  | 3  | 1.25              |                 |           | 151148  | CL00A310T-U               | 151188        | RTA1-H          | 1.30        | 1.90        |
| OPEN  | 1/2 | 202089 | AOS - H991 |      | 575  | 3  |                   |                 |           | Contact distributor or factory service for replacement P/N's. |                           |               |                 |             |             |
| OPEN  | 3/4 | 93548  | 312P629    | 11   | 120  | 1  | 1.25              |                 |           | 151151  | CL01A310T-J               | 151194        | RTA1-P          | 10.00       | 16.00       |
| OPEN  | 3/4 | 93548  | 312P629    | 6.3  | 208  | 1  | 1.25              |                 |           | 151150  | CL00A310T-L               | 151192        | RTA1-M          | 5.50        | 8.50        |
| OPEN  | 3/4 | 93548  | 312P629    | 5.5  | 240  | 1  | 1.25              |                 |           | 151147  | CL00A310T-S               | 151191        | RTA1-L          | 4.00        | 6.30        |
| OPEN  | 3/4 | 36951  | 312P696    | 2.9  | 208  | 3  | 1.25              |                 |           | 151150  | CL00A310T-L               | 151190        | RTA1-K          | 2.50        | 4.10        |
| OPEN  | 3/4 | 36951  | 312P696    | 2.6  | 240  | 3  | 1.25              |                 |           | 151147  | CL00A310T-S               | 151190        | RTA1-K          | 2.50        | 4.10        |
| OPEN  | 3/4 | 36951  | 312P696    | 1.3  | 480  | 3  | 1.25              |                 |           | 151148  | CL00A310T-U               | 151187        | RTA1-G          | 1.00        | 1.50        |
| OPEN  | 3/4 | 202090 | AOS - H992 |      | 575  | 3  |                   |                 |           | Contact distributor or factory service for replacement P/N's. |                           |               |                 |             |             |
| OPEN  | 1   | 13685  | C523       | 13   | 120  | 1  | 1.25              |                 |           | 151151  | CL01A310T-J               | 151194        | RTA1-P          | 10.00       | 16.00       |
| OPEN  | 1   | 13685  | C523       | 7.5  | 208  | 1  | 1.25              |                 |           | 151150  | CL00A310T-L               | 151192        | RTA1-M          | 5.50        | 8.50        |
| OPEN  | 1   | 13685  | C523       | 6.5  | 240  | 1  | 1.25              |                 |           | 151147  | CL00A310T-S               | 151192        | RTA1-M          | 5.50        | 8.50        |
| OPEN  | 1   | 36580  | H882       | 3.7  | 208  | 3  | 1.15              |                 | 79        | 151150  | CL00A310T-L               | 151190        | RTA1-K          | 2.50        | 4.10        |
| OPEN  | 1   | 36580  | H882       | 3.2  | 240  | 3  | 1.15              |                 | 79        | 151147  | CL00A310T-S               | 151190        | RTA1-K          | 2.50        | 4.10        |
| OPEN  | 1   | 36580  | H882       | 1.6  | 480  | 3  | 1.15              |                 | 79        | 151148  | CL00A310T-U               | 151188        | RTA1-H          | 1.30        | 1.90        |
| OPEN  | 1   | 158175 | E1006      | 1.1  | 575  | 3  | 1.15              |                 | 82.5      | 151149  | CL00A310T-Y               | 151187        | RTA1-G          | 1.00        | 1.50        |
| OPEN  | 1.5 | 194202 | C621       | 15   | 120  | 1  | 1.2               | 86.4            | 77.2      | 151156  | CL02A310T-J               | 151194        | RTA1-P          | 10.00       | 16.00       |
| OPEN  | 1.5 | 194202 | C621       | 7.8  | 208  | 1  | 1.2               | 86.4            | 77.2      | 151150  | CL00A310T-L               | 151192        | RTA1-M          | 5.50        | 8.50        |
| OPEN  | 1.5 | 194202 | C621       | 7.5  | 240  | 1  | 1.2               | 86.4            | 77.2      | 151147  | CL00A310T-S               | 151192        | RTA1-M          | 5.50        | 8.50        |
| OPEN  | 1.5 | 115859 | H884       | 5.6  | 208  | 3  | 1.15              | 66.4            | 78.6      | 151150  | CL00A310T-L               | 151191        | RTA1-L          | 4.00        | 6.30        |
| OPEN  | 1.5 | 115859 | H884       | 5    | 240  | 3  | 1.15              | 66.4            | 78.6      | 151147  | CL00A310T-S               | 151191        | RTA1-L          | 4.00        | 6.30        |
| OPEN  | 1.5 | 115859 | H884       | 2.8  | 480  | 3  | 1.15              | 66.4            | 78.6      | 151148  | CL00A310T-U               | 151190        | RTA1-K          | 2.50        | 4.10        |
| OPEN  | 1.5 | 158162 | E1007      | 1.6  | 575  | 3  | 1.15              | 85.3            | 86.3      | 151149  | CL00A310T-Y               | 151188        | RTA1-H          | 1.30        | 1.90        |
| OPEN  | 2   | 202581 | V102       | 20.4 | 120  | 1  | 1.15              | 81.8            | 77.5      | 151160  | CL25A310T-J               | 151197        | RTA1-T          | 17.50       | 22.00       |
| OPEN  | 2   | 202581 | V102       | 10   | 208  | 1  | 1.15              | 81.8            | 77.5      | 151155  | CL01A310T-L               | 151193        | RTA1-N          | 8.00        | 12.00       |
| OPEN  | 2   | 202581 | V102       | 10.2 | 240  | 1  | 1.15              | 81.8            | 77.5      | 151152  | CL01A310T-S               | 151193        | RTA1-N          | 8.00        | 12.00       |
| OPEN  | 2   | 159327 | H886       | 7    | 208  | 3  | 1.15              | 67              | 79        | 151150  | CL00A310T-L               | 151192        | RTA1-M          | 5.50        | 8.50        |
| OPEN  | 2   | 159327 | H886       | 6.6  | 240  | 3  | 1.15              | 67              | 79        | 151147  | CL00A310T-S               | 151192        | RTA1-M          | 5.50        | 8.50        |
| OPEN  | 2   | 159327 | H886       | 3.5  | 480  | 3  | 1.15              | 67              | 79        | 151148  | CL00A310T-U               | 151190        | RTA1-K          | 2.50        | 4.10        |
| OPEN  | 2   | 158176 | E1008      | 2.1  | 575  | 3  | 1.15              | 86              | 84.8      | 151149  | CL00A310T-Y               | 151189        | RTA1-J          | 1.90        | 2.70        |
| OPEN  | 3   | 111560 | B735       | 14   | 208  | 1  | 1.15              | 94.5            | 80.3      | 151159  | CL02A310T-L               | 151194        | RTA1-P          | 10.00       | 16.00       |
| OPEN  | 3   | 111560 | B735       | 12.4 | 240  | 1  | 1.15              | 94.5            | 80.3      | 151152  | CL01A310T-S               | 151194        | RTA1-P          | 10.00       | 16.00       |
| OPEN  | 3   | 159185 | H845       | 9    | 208  | 3  | 1.15              |                 |           | 151150  | CL00A310T-L               | 151193        | RTA1-N          | 8.00        | 12.00       |
| OPEN  | 3   | 159185 | H845       | 8.6  | 240  | 3  | 1.15              |                 |           | 151147  | CL00A310T-S               | 151193        | RTA1-N          | 8.00        | 12.00       |
| OPEN  | 3   | 159185 | H845       | 4.3  | 480  | 3  | 1.15              |                 |           | 151148  | CL00A310T-U               | 151191        | RTA1-L          | 4.00        | 6.30        |
| OPEN  | 3   | 120019 | H954       | 3.6  | 575  | 3  | 1.15              | 80.3            | 83.8      | 151149  | CL00A310T-Y               | 151190        | RTA1-K          | 2.50        | 4.10        |
| OPEN  | 5   | 111562 | V211       | 28   | 208  | 1  | 1.15              | 79.2            | 78.9      | 151169  | CL04A310M-L               | 151199        | RTA1-V          | 25.00       | 32.00       |
| OPEN  | 5   | 111562 | V211       | 26   | 240  | 1  | 1.15              | 79.2            | 78.9      | 151166  | CL04A310M-S               | 151199        | RTA1-V          | 25.00       | 32.00       |
| OPEN  | 5   | 113371 | 196033     | 13.4 | 208  | 3  | 1.15              | 87.2            | 85        | 151155  | CL01A310T-L               | 151194        | RTA1-P          | 10.00       | 16.00       |
| OPEN  | 5   | 113371 | 196033     | 13.2 | 240  | 3  | 1.15              | 87.2            | 85        | 151152  | CL01A310T-S               | 151194        | RTA1-P          | 10.00       | 16.00       |
| OPEN  | 5   | 113371 | 196033     | 6.6  | 480  | 3  | 1.15              | 87.2            | 85        | 151148  | CL00A310T-U               | 151192        | RTA1-M          | 5.50        | 8.50        |
| OPEN  | 5   | 120020 | H956       | 5.4  | 575  | 3  | 1.15              | 85.9            | 85.3      | 151149  | CL00A310T-Y               | 151191        | RTA1-L          | 4.00        | 6.30        |
| OPEN  | 7.5 | 105828 | V305       | 35   | 208  | 1  | 1.15              | 87              | 86        | 151173  | CL06A311M-L               | 151206        | RTA2-E          | 30.00       | 43.00       |
| OPEN  | 7.5 | 105828 | V305       | 32   | 240  | 1  | 1.15              | 87              | 86        | 151170  | CL45A310M-S               | 151199        | RTA1-V          | 25.00       | 32.00       |
| OPEN  | 7.5 | 105854 | E302       | 22.5 | 208  | 3  | 1.15              | 82.5            | 88.5      | 151164  | CL25A310T-L               | 151198        | RTA1-U          | 21.00       | 26.00       |
| OPEN  | 7.5 | 105855 | E300       | 19.4 | 240  | 3  | 1.15              | 82.5            | 88.5      | 151161  | CL25A310T-S               | 151197        | RTA1-T          | 17.50       | 22.00       |
| OPEN  | 7.5 | 105855 | E300       | 9.7  | 480  | 3  | 1.15              | 82.5            | 88.5      | 151153  | CL01A310T-U               | 151193        | RTA1-N          | 8.00        | 12.00       |
| OPEN  | 7.5 | 158164 | E324       | 7.8  | 575  | 3  | 1.15              | 86.5            | 88.5      | 151149  | CL00A310T-Y               | 151192        | RTA1-M          | 5.50        | 8.50        |
| OPEN  | 10  | 105830 | V303       | 42   | 208  | 1  | 1.15              | 96              | 84        | 151173  | CL06A311M-L               | 151206        | RTA2-E          | 30.00       | 43.00       |
| OPEN  | 10  | 105830 | V303       | 38   | 240  | 1  | 1.15              | 96              | 84        | 151172  | CL06A311M-S               | 151206        | RTA2-E          | 30.00       | 43.00       |
| OPEN  | 10  | 105857 | E303       | 31   | 208  | 3  | 1.15              | 85.5            | 89.5      | 151169  | CL04A310M-L               | 151199        | RTA1-V          | 25.00       | 32.00       |
| OPEN  | 10  | 105858 | E301       | 26   | 240  | 3  | 1.15              | 85.5            | 89.5      | 151166  | CL04A310M-S               | 151199        | RTA1-V          | 25.00       | 32.00       |
| OPEN  | 10  | 105858 | E301       | 13   | 480  | 3  | 1.15              | 85.5            | 89.5      | 151153  | CL01A310T-U               | 151194        | RTA1-P          | 10.00       | 16.00       |
| OPEN  | 10  | 158163 | E325       | 10.4 | 575  | 3  | 1.15              | 81              | 89.5      | 151154  | CL01A310T-Y               | 151194        | RTA1-P          | 10.00       | 16.00       |

**Replacement Blower Motors and Starters (cont'd) - See instructions on page 17.**

**Model SCE, SSCBL, and SSCDBL - Replacement Blower Motors and Line Voltage Motor Starters (cont'd)**

| Motor |     |        |            |      |      |    | Service<br>Factor | Power<br>Factor | Eff.<br>% | Reznor<br>P/N | Starter<br>(line voltage) | Reznor<br>P/N | Overload<br>GE# | o.l.<br>min | o.l.<br>max |
|-------|-----|--------|------------|------|------|----|-------------------|-----------------|-----------|---------------|---------------------------|---------------|-----------------|-------------|-------------|
| Type  | HP  | P/N    | Mfr No.    | fla  | volt | ph |                   |                 |           |               |                           |               |                 |             |             |
| OPEN  | 15  | 142287 | FM2513T-8  | 43.1 | 208  | 3  | 1.15              | 80              | 87.5      | 151173        | CL06A311M-L               | 151202        | RTA2-G          | 42.00       | 55.00       |
| OPEN  | 15  | 142288 | FM2513T    | 39   | 240  | 3  | 1.15              | 80              | 87.5      | 151172        | CL06A311M-S               | 151206        | RTA2-E          | 30.00       | 43.00       |
| OPEN  | 15  | 142288 | FM2513T    | 19.5 | 480  | 3  | 1.15              | 80              | 87.5      | 151162        | CL25A310T-U               | 151197        | RTA1-T          | 17.50       | 22.00       |
| OPEN  | 15  | 142289 | FM2513T-5  | 16   | 575  | 3  | 1.15              | 80              | 87.5      | 151158        | CL02A310T-Y               | 151196        | RTA1-S          | 14.50       | 18.00       |
| OPEN  | 20  | 142295 | FM2515T-8  | 58.7 | 208  | 3  | 1.15              | 80              | 88.5      | 151176        | CL07A311M-L               | 151203        | RTA2-H          | 54.00       | 65.00       |
| OPEN  | 20  | 142296 | FM2515T    | 53   | 240  | 3  | 1.15              | 81              | 88.5      | 151175        | CL07A311M-S               | 151202        | RTA2-G          | 42.00       | 55.00       |
| OPEN  | 20  | 142296 | FM2515T    | 26.5 | 480  | 3  | 1.15              | 81              | 88.5      | 151167        | CL04A310M-U               | 151199        | RTA1-V          | 25.00       | 32.00       |
| OPEN  | 20  | 142297 | FM2515T-5  | 21.2 | 575  | 3  | 1.15              | 80              | 88.5      | 151163        | CL25A310T-Y               | 151197        | RTA1-T          | 17.50       | 22.00       |
| TEFC  | 1/4 | 105566 | STOCK #904 | 3.6  | 120  | 1  | 1                 |                 |           | 151146        | CL00A310T-J               | 151190        | RTA1-K          | 2.50        | 4.10        |
| TEFC  | 1/4 | 16074  | 108152     | 2.2  | 208  | 1  | 1.35              |                 |           | 151150        | CL00A310T-L               | 151189        | RTA1-J          | 1.90        | 2.70        |
| TEFC  | 1/4 | 16074  | 108152     | 1.9  | 240  | 1  | 1.35              |                 |           | 151147        | CL00A310T-S               | 151188        | RTA1-H          | 1.30        | 1.90        |
| TEFC  | 1/4 | 16075  | 125439     | 1.6  | 208  | 3  | 1                 | 61.9            | 72.1      | 151150        | CL00A310T-L               | 151188        | RTA1-H          | 1.30        | 1.90        |
| TEFC  | 1/4 | 16075  | 125439     | 1.4  | 240  | 3  | 1                 | 61.9            | 72.1      | 151147        | CL00A310T-S               | 151187        | RTA1-G          | 1.00        | 1.50        |
| TEFC  | 1/4 | 16075  | 125439     | 0.7  | 480  | 3  | 1                 | 61.9            | 72.1      | 151148        | CL00A310T-U               | 151186        | RTA1-F          | 0.65        | 1.10        |
| TEFC  | 1/3 | 115861 | STOCK #906 | 4.6  | 120  | 1  | 1                 | 68.5            | 72.1      | 151146        | CL00A310T-J               | 151191        | RTA1-L          | 4.00        | 6.30        |
| TEFC  | 1/3 | 159501 | C151       | 2.3  | 208  | 1  | 1                 | 67.2            | 69.5      | 151150        | CL00A310T-L               | 151189        | RTA1-J          | 1.90        | 2.70        |
| TEFC  | 1/3 | 159501 | C151       | 2.4  | 240  | 1  | 1                 | 67.2            | 69.5      | 151147        | CL00A310T-S               | 151189        | RTA1-J          | 1.90        | 2.70        |
| TEFC  | 1/3 | 105567 | H261       | 1.2  | 208  | 3  | 1.15              |                 | 79.5      | 151150        | CL00A310T-L               | 151187        | RTA1-G          | 1.00        | 1.50        |
| TEFC  | 1/3 | 105567 | H261       | 1.2  | 240  | 3  | 1.15              |                 | 79.5      | 151147        | CL00A310T-S               | 151187        | RTA1-G          | 1.00        | 1.50        |
| TEFC  | 1/3 | 105567 | H261       | 0.6  | 480  | 3  | 1.15              |                 | 79.5      | 151148        | CL00A310T-U               | 151184        | RTA1-D          | 0.40        | 0.65        |
| TEFC  | 1/2 | 159184 | C613       | 7.2  | 120  | 1  | 1.15              |                 |           | 151146        | CL00A310T-J               | 151192        | RTA1-M          | 5.50        | 8.50        |
| TEFC  | 1/2 | 159184 | C613       | 3.5  | 208  | 1  | 1.15              |                 |           | 151150        | CL00A310T-L               | 151190        | RTA1-K          | 2.50        | 4.10        |
| TEFC  | 1/2 | 159184 | C613       | 3.6  | 240  | 1  | 1.15              |                 |           | 151147        | CL00A310T-S               | 151190        | RTA1-K          | 2.50        | 4.10        |
| TEFC  | 1/2 | 16077  | H274       | 2.3  | 208  | 3  | 1                 | 59.5            | 74.8      | 151150        | CL00A310T-L               | 151189        | RTA1-J          | 1.90        | 2.70        |
| TEFC  | 1/2 | 16077  | H274       | 2    | 240  | 3  | 1                 | 59.5            | 74.8      | 151147        | CL00A310T-S               | 151189        | RTA1-J          | 1.90        | 2.70        |
| TEFC  | 1/2 | 16077  | H274       | 1    | 480  | 3  | 1                 | 59.5            | 74.8      | 151148        | CL00A310T-U               | 151186        | RTA1-F          | 0.65        | 1.10        |
| TEFC  | 1/2 | 105568 | H276       | 0.7  | 575  | 3  | 1.15              | 76.4            | 77        | 151149        | CL00A310T-Y               | 151186        | RTA1-F          | 0.65        | 0.90        |
| TEFC  | 3/4 | 115860 | F353       | 11   | 120  | 1  | 1                 | 66              | 65.7      | 151151        | CL01A310T-J               | 151194        | RTA1-P          | 10.00       | 16.00       |
| TEFC  | 3/4 | 115860 | F353       | 5.4  | 208  | 1  | 1                 | 66              | 65.7      | 151150        | CL00A310T-L               | 151191        | RTA1-L          | 4.00        | 6.30        |
| TEFC  | 3/4 | 115860 | F353       | 5.5  | 240  | 1  | 1                 | 66              | 65.7      | 151147        | CL00A310T-S               | 151191        | RTA1-L          | 4.00        | 6.30        |
| TEFC  | 3/4 | 20371  | H580       | 2    | 208  | 3  | 1                 | 73.5            | 81.1      | 151150        | CL00A310T-L               | 151189        | RTA1-J          | 1.90        | 2.70        |
| TEFC  | 3/4 | 20371  | H580       | 2.2  | 240  | 3  | 1                 | 73.5            | 81.1      | 151147        | CL00A310T-S               | 151189        | RTA1-J          | 1.90        | 2.70        |
| TEFC  | 3/4 | 20371  | H580       | 1.1  | 480  | 3  | 1                 | 73.5            | 81.1      | 151148        | CL00A310T-U               | 151187        | RTA1-G          | 1.00        | 1.50        |
| TEFC  | 3/4 | 105569 | H461       | 0.8  | 575  | 3  | 1.15              | 78.3            | 82        | 151149        | CL00A310T-Y               | 151186        | RTA1-F          | 0.65        | 1.10        |
| TEFC  | 1   | 174993 | 159105     | 12   | 120  | 1  | 1.15              | 74.3            | 70.6      | 151151        | CL01A310T-J               | 151194        | RTA1-P          | 10.00       | 16.00       |
| TEFC  | 1   | 174993 | 159105     | 6.2  | 208  | 1  | 1.15              | 74.3            | 70.6      | 151147        | CL00A310T-S               | 151192        | RTA1-M          | 5.50        | 8.50        |
| TEFC  | 1   | 174993 | 159105     | 6    | 240  | 1  | 1.15              | 74.3            | 70.6      | 151147        | CL00A310T-S               | 151192        | RTA1-M          | 5.50        | 8.50        |
| TEFC  | 1   | 16080  | H524       | 3.3  | 208  | 3  | 1                 | 74.4            | 80.2      | 151150        | CL00A310T-L               | 151190        | RTA1-K          | 2.50        | 4.10        |
| TEFC  | 1   | 16080  | H524       | 3.4  | 240  | 3  | 1                 | 74.4            | 80.2      | 151147        | CL00A310T-S               | 151190        | RTA1-K          | 2.50        | 4.10        |
| TEFC  | 1   | 16080  | H524       | 1.7  | 480  | 3  | 1                 | 74.4            | 80.2      | 151148        | CL00A310T-U               | 151188        | RTA1-H          | 1.30        | 1.90        |
| TEFC  | 1   | 105570 | H525       | 1.4  | 575  | 3  | 1.15              | 71.6            | 80.4      | 151149        | CL00A310T-Y               | 151187        | RTA1-G          | 1.00        | 1.50        |
| TEFC  | 1.5 | 94347  | 311P402    | 16.4 | 120  | 1  |                   |                 |           | 151156        | CL02A310T-J               | 151196        | RTA1-S          | 14.50       | 18.00       |
| TEFC  | 1.5 | 94347  | 311P402    | 9.5  | 208  | 1  |                   |                 |           | 151150        | CL00A310T-L               | 151193        | RTA1-N          | 8.00        | 12.00       |
| TEFC  | 1.5 | 94347  | 311P402    | 8.2  | 240  | 1  |                   |                 |           | 151147        | CL00A310T-S               | 151193        | RTA1-N          | 8.00        | 12.00       |
| TEFC  | 1.5 | 101286 | H535       | 4.3  | 208  | 3  | 1                 | 80.9            | 82.4      | 151150        | CL00A310T-L               | 151191        | RTA1-L          | 4.00        | 6.30        |
| TEFC  | 1.5 | 101286 | H535       | 4.4  | 240  | 3  | 1                 | 80.9            | 82.4      | 151147        | CL00A310T-S               | 151191        | RTA1-L          | 4.00        | 6.30        |
| TEFC  | 1.5 | 101286 | H535       | 2.2  | 480  | 3  | 1                 | 80.9            | 82.4      | 151148        | CL00A310T-U               | 151189        | RTA1-J          | 1.90        | 2.70        |
| TEFC  | 1.5 | 105665 | E127       | 1.6  | 575  | 3  | 1.15              | 85.7            | 84        | 151149        | CL00A310T-Y               | 151188        | RTA1-H          | 1.30        | 1.90        |
| TEFC  | 2   | 105572 | K200       | 24   | 120  | 1  | 1                 | 76.4            | 75.7      | 151165        | CL04A310M-J               | 151198        | RTA1-U          | 21.00       | 26.00       |
| TEFC  | 2   | 105572 | K200       | 12   | 240  | 1  | 1                 | 76.4            | 75.7      | 151152        | CL01A310T-S               | 151194        | RTA1-P          | 10.00       | 16.00       |
| TEFC  | 2   | 158165 | E166       | 7    | 208  | 3  | 1.15              | 77.5            | 84        | 151150        | CL00A310T-L               | 151192        | RTA1-M          | 5.50        | 8.50        |
| TEFC  | 2   | 158165 | E166       | 5.8  | 240  | 3  | 1.15              | 77.5            | 84        | 151147        | CL00A310T-S               | 151191        | RTA1-L          | 4.00        | 6.30        |
| TEFC  | 2   | 158165 | E166       | 2.9  | 480  | 3  | 1.15              | 77.5            | 84        | 151148        | CL00A310T-U               | 151190        | RTA1-K          | 2.50        | 4.10        |
| TEFC  | 2   | 158166 | E169       | 2.3  | 575  | 3  | 1.15              | 77.5            | 84        | 151149        | CL00A310T-Y               | 151189        | RTA1-J          | 1.90        | 2.70        |
| TEFC  | 3   | 111564 | K222       | 30   | 120  | 1  | 1                 | 88              | 75.5      | 151165        | CL04A310M-J               | 151199        | RTA1-V          | 25.00       | 32.00       |
| TEFC  | 3   | 111564 | K222       | 15   | 240  | 1  | 1                 | 88              | 75.5      | 151157        | CL02A310T-S               | 151194        | RTA1-P          | 10.00       | 16.00       |
| TEFC  | 3   | 159330 | M3559T     | 7.9  | 208  | 3  | 1.15              |                 | 85.5      | 151150        | CL00A310T-L               | 151192        | RTA1-N          | 5.50        | 8.50        |
| TEFC  | 3   | 159330 | M3559T     | 7.2  | 240  | 3  | 1.15              |                 | 85.5      | 151147        | CL00A310T-S               | 151192        | RTA1-N          | 5.50        | 8.50        |
| TEFC  | 3   | 159330 | M3559T     | 3.6  | 480  | 3  | 1.15              |                 | 85.5      | 151148        | CL00A310T-U               | 151190        | RTA1-K          | 2.50        | 4.10        |

**Model SCE, SSCBL, and SSCDBL - Replacement Blower Motors and Line Voltage Motor Starters (cont'd)**

| Motor |       |        |              |      |      |    | Service Factor | Power Factor | Eff. % | Reznor P/N | Starter (line voltage) | Reznor P/N | Overload GE# | o.l. min | o.l. max |
|-------|-------|--------|--------------|------|------|----|----------------|--------------|--------|------------|------------------------|------------|--------------|----------|----------|
| Type  | HP    | P/N    | Mfr No.      | fla  | volt | ph |                |              |        |            |                        |            |              |          |          |
| TEFC  | 5     | 111567 | K223         | 20.2 | 240  | 1  | 1              | 90.8         | 78.4   | 151166     | CL04A310M-S            | 151197     | RTA1-T       | 17.50    | 22.00    |
| TEFC  | 5     | 155048 | E241         | 16   | 208  | 3  | 1.15           |              | 87.5   | 151155     | CL01A310T-L            | 151196     | RTA1-S       | 14.50    | 18.00    |
| TEFC  | 5     | 155048 | E241         | 12   | 240  | 3  | 1.15           |              | 87.5   | 151152     | CL01A310T-S            | 151194     | RTA1-P       | 10.00    | 16.00    |
| TEFC  | 5     | 155048 | E241         | 6    | 480  | 3  | 1.15           |              | 87.5   | 151148     | CL00A310T-U            | 151191     | RTA1-L       | 4.00     | 6.30     |
| TEFC  | 5     | 158170 | E273         | 4.8  | 575  | 3  | 1.15           | 90           | 87.5   | 151149     | CL00A310T-Y            | 151191     | RTA1-L       | 4.00     | 6.30     |
| TEFC  | 7.5   | 105842 | K305         | 34   | 240  | 1  | 1              | 86.5         | 84.8   | 151170     | CL45A310M-S            | 151200     | RTA1-W       | 30.00    | 40.00    |
| TEFC  | 7.5   | 158171 | E356         | 24   | 208  | 3  | 1.15           | 83.1         | 89.5   | 151169     | CL04A310M-L            | 151198     | RTA1-U       | 21.00    | 26.00    |
| TEFC  | 7.5   | 158171 | E356         | 19   | 240  | 3  | 1.15           | 83.1         | 89.5   | 151161     | CL25A310T-S            | 151197     | RTA1-T       | 17.50    | 22.00    |
| TEFC  | 7.5   | 158171 | E356         | 9.5  | 480  | 3  | 1.15           | 83.1         | 89.5   | 151153     | CL01A310T-U            | 151193     | RTA1-N       | 8.00     | 12.00    |
| TEFC  | 7.5   | 158172 | E364         | 7.6  | 575  | 3  | 1.15           | 83.1         | 89.5   | 151149     | CL00A310T-Y            | 151192     | RTA1-N       | 5.50     | 8.50     |
| TEFC  | 10    | 105846 | K313         | 39   | 240  | 1  | 1              | 96.5         | 89.5   | 151172     | CL06A311M-S            | 151206     | RTA2-E       | 30.00    | 43.00    |
| TEFC  | 10    | 158173 | E357         | 30   | 208  | 3  | 1.15           | 85           | 89.5   | 151169     | CL04A310M-L            | 151199     | RTA1-V       | 25.00    | 32.00    |
| TEFC  | 10    | 158173 | E357         | 26   | 240  | 3  | 1.15           | 85           | 89.5   | 151166     | CL04A310M-S            | 151198     | RTA1-U       | 21.00    | 26.00    |
| TEFC  | 10    | 158173 | E357         | 13   | 480  | 3  | 1.15           | 85           | 89.5   | 151153     | CL01A310T-U            | 151194     | RTA1-P       | 10.00    | 16.00    |
| TEFC  | 10    | 158174 | E365         | 9.6  | 575  | 3  | 1.15           | 85           | 89.5   | 151154     | CL01A310T-Y            | 151193     | RTA1-N       | 8.00     | 12.00    |
| TEFC  | 15    | 142443 | FM2333T      | 38   | 240  | 3  | 1.15           | 82           | 90.2   | 151172     | CL06A311M-S            | 151206     | RTA2-E       | 30.00    | 43.00    |
| TEFC  | 15    | 142443 | FM2333T      | 19   | 480  | 3  | 1.15           | 82           | 90.2   | 151162     | CL25A310T-U            | 151197     | RTA1-T       | 17.50    | 22.00    |
| TEFC  | 15    | 142444 | FM2333T-5    | 15   | 575  | 3  | 1.15           | 82           | 90.2   | 151158     | CL02A310T-Y            | 151194     | RTA1-P       | 10.00    | 16.00    |
| TEFC  | 20    | 142301 | FM2334T      | 52   | 240  | 3  | 1.15           | 81           | 89.5   | 151175     | CL07A311M-S            | 151202     | RTA2-G       | 42.00    | 55.00    |
| TEFC  | 20    | 142301 | FM2334T      | 26   | 480  | 3  | 1.15           | 81           | 89.5   | 151167     | CL04A310M-U            | 151199     | RTA1-V       | 25.00    | 32.00    |
| TEFC  | 20    | 142302 | FM2334T-5    | 20.6 | 575  | 3  | 1.15           | 81           | 89.5   | 151163     | CL25A310T-Y            | 151197     | RTA1-T       | 17.50    | 22.00    |
| EE    | 1     | 105659 | E103         | 3.1  | 208  | 3  | 1.15           | 83.5         | 82.5   | 151150     | CL00A310T-L            | 151190     | RTA1-K       | 2.50     | 4.10     |
| EE    | 1     | 159328 | E1015        | 2.7  | 240  | 3  | 1.15           |              | 85.5   | 151147     | CL00A310T-S            | 151190     | RTA1-K       | 2.50     | 4.10     |
| EE    | 1     | 159328 | E1015        | 1.35 | 480  | 3  | 1.15           |              | 85.5   | 151148     | CL00A310T-U            | 151187     | RTA1-G       | 1.00     | 1.50     |
| EE    | 1     | 158175 | E1006        | 1.1  | 575  | 3  | 1.15           |              | 82.5   | 151149     | CL00A310T-Y            | 151187     | RTA1-G       | 1.00     | 1.50     |
| EE    | 1 1/2 | 105662 | E104         | 4.5  | 208  | 3  | 1.15           | 86           | 84     | 151150     | CL00A310T-L            | 151191     | RTA1-L       | 4.00     | 6.30     |
| EE    | 1 1/2 | 159329 | E1016        | 4    | 240  | 3  | 1.15           |              | 85.5   | 151147     | CL00A310T-S            | 151190     | RTA1-K       | 2.50     | 4.10     |
| EE    | 1 1/2 | 159329 | E1016        | 2    | 480  | 3  | 1.15           |              | 85.5   | 151148     | CL00A310T-U            | 151189     | RTA1-J       | 1.90     | 2.70     |
| EE    | 1 1/2 | 158162 | E1007        | 1.6  | 575  | 3  | 1.15           | 85.3         | 84     | 151149     | CL00A310T-Y            | 151188     | RTA1-H       | 1.30     | 1.90     |
| EE    | 2     | 105664 | E105         | 6    | 208  | 3  | 1.15           | 86.8         | 84     | 151150     | CL00A310T-L            | 151191     | RTA1-L       | 4.00     | 6.30     |
| EE    | 2     | 159027 | E1017        | 5.8  | 240  | 3  | 1.15           |              | 86.5   | 151147     | CL00A310T-S            | 151191     | RTA1-L       | 4.00     | 6.30     |
| EE    | 2     | 159027 | E1017        | 2.9  | 480  | 3  | 1.15           |              | 96.5   | 151148     | CL00A310T-U            | 151190     | RTA1-K       | 2.50     | 4.10     |
| EE    | 2     | 158176 | E1008        | 2.1  | 575  | 3  | 1.15           | 86           | 84     | 151149     | CL00A310T-Y            | 151189     | RTA1-J       | 1.90     | 2.70     |
| EE    | 3     | 159186 | 35L405S489G3 | 8.3  | 208  | 3  | 1.15           |              | 87.5   | 151150     | CL00A310T-L            | 151193     | RTA1-N       | 8.00     | 12.00    |
| EE    | 3     | 159028 | B-EM3158T    | 7.4  | 240  | 3  |                |              | 87.5   | 151147     | CL00A310T-S            | 151192     | RTA1-N       | 5.50     | 8.50     |
| EE    | 3     | 159028 | B-EM3158T    | 3.7  | 480  | 3  |                |              | 87.5   | 151148     | CL00A310T-U            | 151190     | RTA1-K       | 2.50     | 4.10     |
| EE    | 3     | 159030 | 35L405S709G1 | 3    | 575  | 3  | 1.15           |              | 87.5   | 151149     | CL00A310T-Y            | 151190     | RTA1-K       | 2.50     | 4.10     |
| EE    | 5     | 159029 | E204         | 13.9 | 208  | 3  | 1.15           | 89           | 91     | 151159     | CL02A310T-L            | 151194     | RTA1-P       | 10.00    | 16.00    |
| EE    | 5     | 159029 | E204         | 11.6 | 240  | 3  | 1.15           | 89           | 91     | 151157     | CL02A310T-S            | 151194     | RTA1-P       | 10.00    | 16.00    |
| EE    | 5     | 159029 | E204         | 5.8  | 480  | 3  | 1.15           | 89           | 91     | 151148     | CL00A310T-U            | 151192     | RTA1-M       | 5.50     | 8.50     |
| EE    | 5     | 111602 | M3613T-5     | 4.8  | 575  | 3  | 1.15           |              | 87.5   | 151149     | CL00A310T-Y            | 151191     | RTA1-L       | 4.00     | 6.30     |
| EE    | 7 1/2 | 159331 | E316         | 22.3 | 208  | 3  | 1.15           | 82           | 91.7   | 151169     | CL04A310M-L            | 151198     | RTA1-U       | 21.00    | 26.00    |
| EE    | 7 1/2 | 159332 | E317         | 19.4 | 240  | 3  | 1.15           | 82           | 91.7   | 151161     | CL25A310T-S            | 151197     | RTA1-T       | 17.50    | 22.00    |
| EE    | 7 1/2 | 159332 | E317         | 9.7  | 480  | 3  | 1.15           | 82           | 91.7   | 151148     | CL00A310T-U            | 151193     | RTA1-N       | 8.00     | 12.00    |
| EE    | 7 1/2 | 158164 | E324         | 7.8  | 575  | 3  | 1.15           | 81.5         | 88.5   | 151149     | CL00A310T-Y            | 151192     | RTA1-N       | 5.50     | 8.50     |
| EE    | 10    | 159333 | E318         | 27.8 | 208  | 3  | 1.15           | 85.5         | 91     | 151169     | CL04A310M-L            | 151199     | RTA1-V       | 25.00    | 32.00    |
| EE    | 10    | 159334 | E319         | 24.2 | 240  | 3  | 1.15           | 85.5         | 91     | 151166     | CL04A310M-S            | 151198     | RTA1-U       | 21.00    | 26.00    |
| EE    | 10    | 159334 | E319         | 12.1 | 480  | 3  | 1.15           | 85.5         | 91     | 151153     | CL01A310T-U            | 151194     | RTA1-P       | 10.00    | 16.00    |
| EE    | 10    | 158163 | E325         | 10.3 | 575  | 3  | 1.15           | 81           | 89.5   | 151149     | CL00A310T-Y            | 151194     | RTA1-P       | 10.00    | 16.00    |
| EE    | 15    | 142440 | EFM2513T-8   | 41.5 | 208  | 3  | 1.15           | 84           | 92.4   | 151173     | CL06A311M-L            | 151206     | RTA2-E       | 30.00    | 43.00    |
| EE    | 15    | 142441 | EFM2513T     | 36   | 240  | 1  | 1.15           | 84           | 92.4   | 151172     | CL06A311M-S            | 151206     | RTA2-E       | 30.00    | 43.00    |
| EE    | 15    | 142441 | EFM2513T     | 18   | 480  | 3  | 1.15           | 84           | 92.4   | 151162     | CL25A310T-U            | 151197     | RTA1-T       | 17.50    | 22.00    |
| EE    | 15    | 142289 | EFM2513T-5   | 14.5 | 575  | 3  | 1.15           | 84           | 92.4   | 151158     | CL02A310T-Y            | 151194     | RTA1-P       | 10.00    | 16.00    |
| EE    | 20    | 159187 | E452-F2      | 57   | 208  | 3  | 1.15           | 84           | 93.6   | 151176     | CL07A311M-L            | 151203     | RTA2-H       | 54.00    | 65.00    |
| EE    | 20    | 142299 | EFM2515T     | 48   | 240  | 3  | 1.15           | 84           | 93     | 151172     | CL06A311M-S            | 151202     | RTA2-G       | 42.00    | 55.00    |
| EE    | 20    | 142299 | EFM2515T     | 24   | 480  | 3  | 1.15           | 84           | 93     | 151167     | CL04A310M-U            | 151198     | RTA1-U       | 21.00    | 26.00    |
| EE    | 20    | 142300 | EFM2515T-5   | 19.2 | 575  | 3  | 1.15           | 84           | 93     | 151163     | CL25A310T-Y            | 151197     | RTA1-T       | 17.50    | 22.00    |