



FX-05 & FX-06 CONTROLLERS ARE N/A SOME RETROFITS ARE AVAILABLE



**IMPORTANT**

1. Always include complete heater model and serial number so that any specification change can be considered for parts replacement. It can save time and expense.
2. In keeping with our policy of continuous product improvement, we reserve the right to alter any information shown here. Specifications are subject to change without notice.
3. We reserve the right to substitute functional replacements
4. Order by P/N; not Heater Option Designation.

**Replacement Parts**

Applies to: Indoor Model PDH, Model SDH, Model PEH, Model PXH, and Model SHH; and Outdoor Model RDH, Model REH, Model RXH, and Model RHH

**Indoor Models**



**SDH**  
Gas-Fired Heat, Separated Combustion



**PDH**  
Gas-Fired Heat, Power Vent



**PEH**  
Electric Heat



**PXH**  
Air Handler



**SHH**  
Gas-Fired Heat, High Efficiency, Separated Combustion

**Outdoor Models**



**RDH, Gas-Fired Heat, Power-Vented (with outside air hood attached)**



**REH**  
Electric Heat



**RXH**  
Air Handler (with hood)



**RHH Gas-Fired Heat, High-Efficiency, Power Vented (outside air hood attached)**



**Index**

<p><b>A</b></p> <p>Air Proving Switch 3</p> <p>Amplifiers 11</p> <p>AquaSaver Timed Controls 44</p> <p><b>B</b></p> <p>Ball Joint 29</p> <p>Ball Valve 5</p> <p>Ball Valve Actuator 5</p> <p>Bearings 21</p> <p>Belts 21</p> <p>Bleed Line Hose 44</p> <p>Blowers 20</p> <p>Burner Assembly 20</p> <p>Burner End Shield 19</p> <p>Burner Shield 19</p> <p><b>C</b></p> <p>Cabinet Doors 36</p> <p>Cabinet Parts - Cooling Coil Module 24</p> <p>Cabinet Parts - Indoor High-Efficiency Model SHH 42</p> <p>Cabinet Parts - Indoor Model PDH 38</p> <p>Cabinet Parts - Indoor Model PEH 40</p> <p>Cabinet Parts - Indoor Model SDH 39</p> <p>Cabinet Parts - Mixing Box 30</p> <p>Cabinet Parts - Outdoor High-Efficiency Model RHH 42</p> <p>Cabinet Parts - Outdoor Model RDH 37</p> <p>Cabinet Parts - Outdoor Model REH 41</p> <p>Cabinet Parts for Option ECC Evaporative Cooling Module 43</p> <p>Capacitor 16, 27</p> <p>Reheat Compressor 27</p> <p>Contactors 7, 13</p> <p>Convenience Outlet 9</p> <p>Crankcase Heater 27</p> <p>Curb Adapter 35</p> <p><b>D</b></p> <p>Mixing Box Damper Controls 29</p> <p>Damper Arm 29</p> <p>Damper Assy (Option AR8) 28</p> <p>Damper Rod 29</p> <p>Dampers 29, 30</p> <p>Dehumidist, Option CL47 12</p> <p>Digital Controller FX05 for Opt DG 6</p> <p>Dirty Filter Switch 3</p> <p>Discharge Air Sensor 6</p> <p>Discharge Plenum 32</p> <p>Distribution Block 7</p> <p>Door 30, 32</p> <p>Door Latch 30, 32, 36</p> <p>Door Switch 9</p> <p>Downturn Plenum 32</p> <p>Drain Cover 19</p> <p>Drain Fitting 19</p> <p>Drain Gasket 19</p> <p>Condensate Drain Freeze-Resistant Trap 19</p> <p>Drive Components 21</p> <p>DSI (Direct Spark Ignition) Control Board 3</p> <p>Duct Flange 28, 32</p> <p>Ductstat 5, 10</p> <p>Ductstat Stage Adder 10</p> <p><b>E</b></p> <p>Economizer Logic Module 29, 30</p> <p>Electrical Component Locations 3</p> <p>Electric Heating Element 7</p> <p>Electric Heating Element Limit Control 7</p> <p>Electric Heat Section Electrical Compartment 6, 7</p> <p>Electrode 20</p> <p>Electronic Filter 6</p> <p>Enthalpy Sensor 29</p> <p>Evaporative Cooling Media Pads 43</p> <p>Evaporative Cooling Module 43</p>	<p><b>F</b></p> <p>Feed Line 44</p> <p>Fill and Drain Kits 45</p> <p>Electronic Filter 5</p> <p>Filter Drier 27</p> <p>Filters 28</p> <p>Firestat 10</p> <p>Flame Sensor 20</p> <p>Float Switch 44</p> <p>Float Valve 44</p> <p>Flue Collection Box 19</p> <p>Freeze Protection Controls 45</p> <p>Freezestat 5</p> <p>Froststat 26, 27</p> <p>Fuse 3, 7</p> <p><b>G</b></p> <p>Gas Conversion Kits 20</p> <p>Gas Pressure Switch 5</p> <p>Gas Valve (See Form P-VALVES) 5</p> <p><b>H</b></p> <p>Heat Exchanger 18, 19</p> <p>High Ambient Limit Control 10</p> <p>Hinge 36</p> <p>Inlet Air Hood (Option AS2) 28</p> <p>Horizontal Vent/ Combustion Air Terminal Kit (Same as Option CC6) 18</p> <p>Rubber Hose 44</p> <p><b>I</b></p> <p>ID Plug 4</p> <p>Inlet Screen 28</p> <p><b>L</b></p> <p>Label 36</p> <p>High Temperature Auto Reset Limit 3</p> <p>Reverse Flow Limit Switch 9</p> <p>Louvers 32, 33</p> <p><b>M</b></p> <p>Manifold Arrangement -- 8:1 Turndown 5</p> <p>Media 43</p> <p>Microprocessor Timer 44</p> <p>Modulating Gas Valve 5</p> <p>Damper Motor 29</p> <p>Discharge Damper Motor 32</p> <p>Motor Base 20</p> <p>Blower Motors 13, 16</p> <p><b>N</b></p> <p>Nozzles 32, 33</p> <p><b>O</b></p> <p>Gas Orifice 20</p> <p>Orifice Adapter Bushing 20</p> <p>Outside Air Relative Humidity Transmitter, Option DT5 12</p> <p>Overloads 13</p> <p><b>P</b></p> <p>Paint 36</p> <p>Phase Loss Control 3</p> <p>Plug-in Cards 6</p> <p>Potentiometer 29</p> <p>Pre-Filters (Option PF4 and PF5) 43</p> <p>Combustion Air Pressure Switch 3, 4</p> <p>Pulleys 21</p> <p>Pump 44</p> <p>Pump and Float Control 44</p> <p>Pump Support 44</p> <p><b>R</b></p> <p>Rating Plate 2</p> <p>DX Cooling Cabinet with Reheat 27</p> <p>Relay 3, 4, 7, 45</p> <p>Time Delay Relay 5</p> <p>Remote Console 12</p> <p>Remote User Interface 12</p>	<p>Primary Air Restrictor 20</p> <p>Return Air Controller 29</p> <p>Reverse Flow Limit Switch 9</p> <p>Roof Curb 34, 35, 36</p> <p>Room Command Module 12</p> <p><b>S</b></p> <p>Intake Screen 44</p> <p>SCR Power Controller 7</p> <p>Sensing Tube Assembly 21</p> <p>Sensor 10, 11</p> <p>Sensor Mixing Tube Holder 6</p> <p>Serial No. 2</p> <p>Service Switch 9</p> <p>Damper Motor Connecting Shaft 29</p> <p>Shaft (Blower) 21</p> <p>Signal Conditioner 5</p> <p>Smoke Detector 10</p> <p>2-Way Solenoid Valve 45</p> <p>3-Way Solenoid Valve 45</p> <p>Spring Isolation 20</p> <p>Sprinkler Pipe 44</p> <p>Starters 13</p> <p>Step Controller 7</p> <p>Disconnect Switch 13</p> <p>Pressure Null Switch 29</p> <p>Pressure Switch (refrigerant) 27</p> <p>2-position Switch 10</p> <p><b>T</b></p> <p>Static Pressure Tap 16</p> <p>Temperature Controller 45</p> <p>Terminal Block 44</p> <p>Terminal Board for Thermostat 3</p> <p>Thermostatic Expansion Valve for Reheat Circuit 27</p> <p>Thermostats 12</p> <p>Time Delay Relay 5, 6</p> <p>Transducer 5</p> <p>Transformer 3, 4, 7, 16, 44</p> <p><b>U</b></p> <p>Ultra-Violet, Germicidal Light 27</p> <p><b>V</b></p> <p>Ball Valve 44</p> <p>Variable Frequency Drive 3, 4</p> <p>Vent/Combustion Air Kits - SDH &amp; SHH 17</p> <p>Vent Cap 17</p> <p>Venter Block Assembly 17, 42</p> <p>Venter Components 16, 17</p> <p>Venter Housing 16, 17</p> <p>Venter Motor 16, 17</p> <p>Venter Motor and Wheel Assembly 16, 17</p> <p>Venter Motor Capacitor 16</p> <p>Venter Speed Controller 6</p> <p>Vertical Vent - Model RDH 17</p> <p>Vertical Vent/Combustion Air Terminal Kit (Same as Option CC2) 17, 18</p> <p><b>W</b></p> <p>Water Hammer Arrestor 44</p> <p>Wheel 16, 17</p>
---	---	---

## Blowers and Components

CODE	PDH/SDH/RDH Size	75	100	125	150	175	200	225	250	300	350	400A
	PEH/REH Size	10A/20A/40A		15B/30B/60B		N/A			30D/60D/90D/120D		40E/80E/120E	
	PXH/RXH Size	000A		000B		000C			000D		000E	
	SHH/RHH	--		--		130, 180			260		350	
<b>157</b>	Blower (includes <b>CODES 157 A &amp; B</b> )	210856		210857		1360			210859		210860	
		10x10, 1" shaft		Twin 9x7, 1" shaft		12x12, 1" shaft			Twin 12x7, 1" shaft		Twin 12x12, 1" shaft	
<b>157A</b>	Blower Bearings	(2) 10437		(2) 214294		(2) 10437			(2) 214294			
<b>157B</b>	Blower Shaft	214295, 1"x18.7"		214297, 1"x30.4"		11303, 1"x22"			214297, 1"x30.4"		214298, 1"x42.5"	
<b>158</b>	Sensing Tube Assembly (not illustrated), All Sizes - P/N 111733											

### Blower Section



### Drive Components (Pulleys and Belts)

Drive components are listed by available motor options (Option AL). Drives for units with 2-speed motors (Options AL 45, 46, 47, or 48) are not listed; if drive components are needed for 2-speed motor, check with the factory.

Key to AM & EM Drive Options	Option	RPM Range	Option	RPM Range	Option	RPM Range	Option	RPM Range	Option	RPM Range	Option	RPM Range	Option	RPM Range	Option	RPM Range
	AM1	401-450	AM5	601-650	AM9	801-850	AM13	1001-1050	AM17	1201-1250	AM21	1401-1450	AM25	1601-1650	AM29	1801-1850
	AM2	451-500	AM6	651-700	AM10	851-900	AM14	1051-1100	AM18	1251-1300	AM22	1451-1500	AM26	1651-1700	AM30	1851-1900
	AM3	501-550	AM7	701-750	AM11	901-950	AM15	1101-1150	AM19	1301-1350	AM23	1501-1550	AM27	1701-1750		
AM4	551-600	AM8	751-800	AM12	951-1000	AM16	1151-1200	AM20	1351-1400	AM24	1551-1600	AM28	1751-1800			

OPEN MOTOR		Voltage Option	Drive, Option AM/EM	CODE 160, Motor Pulley		CODE 161, Blower Pulley			CODE 162, Belt*	
HP	Option AL		See table above.	P/N	Model	Bore	P/N	Model		Bore
1/4, 1/3	2, 3	AK1 (115/1); AK2 (208/1); AK3 (230/1); AK5 (208/3); AK6 (230/3); AK7 (460/3)	1, 2	4074	1VL34	1/2	111609	AK99	1	"A-section" 3.8 ft
			3, 4	13491	1VL40	1/2	111609	AK99	1	"A-section" 3.8 ft
			5, 6, 7	13491	1VL40	1/2	19111	AK84	1	"A-section" 3.8 ft
			8, 9, 10, 11, 12	13491	1VL40	1/2	18797	AK64	1	"A-section" 3.8 ft
			13, 14, 15, 16, 17	13491	1VL40	1/2	135200	AK51	1	"A-section" 3.8 ft
			1, 2	13580	1VL34	5/8	111609	AK 99	1	"A-section" 3.8 ft
1/2, 3/4, 1, 1 1/2	4, 5, 6, 7	AK1 (115/1); AK2 (208/1); AK3 (230/1); AK5 (208/3); AK6 (230/3); AK7 (460/3)	3, 4	7962	1VL40	5/8	111609	AK 99	1	"A-section" 3.8 ft
			5, 6, 7	7962	1VL40	5/8	19111	AK 84	1	"A-section" 3.8 ft
			8, 9, 10, 11, 12	7962	1VL40	5/8	18797	AK 64	1	"A-section" 3.8 ft
			13, 14, 15, 16, 17	7962	1VL40	5/8	135200	AK 51	1	"A-section" 3.8 ft
			18, 19, 20, 21, 22, 23, 24, 25	105476	1VL44	5/8	206125	AK 44	1	"A-section" 3.8 ft
			26, 27, 28, 29	105476	1VL44	5/8	135201	AK 39	1	"A-section" 3.8 ft

OPEN MTR (cont'd)		Voltage Option	Drive, Option AM/EM	CODE 160, Motor Pulley			CODE 161, Blower Pulley			CODE 162, Belt*
HP	Option AL		See AM Key, page 21	P/N	Model	Bore	P/N	Model	Bore	
1/2, 3/4	4, 5	AK8 (575/3)	1, 2	13580	1VL34	5/8	111609	AK 99	1	"A-section" 3.8 ft
			3, 4	7962	1VL40	5/8	111609	AK 99	1	"A-section" 3.8 ft
			5, 6, 7	7962	1VL40	5/8	19111	AK 84	1	"A-section" 3.8 ft
			8, 9, 10, 11, 12	7962	1VL40	5/8	18797	AK 64	1	"A-section" 3.8 ft
			13, 14, 15, 16, 17	7962	1VL40	5/8	135200	AK 51	1	"A-section" 3.8 ft
			18, 19, 20, 21, 22, 23, 24, 25	105476	1VL44	5/8	206125	AK 44	1	"A-section" 3.8 ft
			26, 27, 28, 29	105476	1VL44	5/8	135201	AK 39	1	"A-section" 3.8 ft
1, 1-1/2	6, 7	AK8 (575/3)	1, 2	110125	1VP34	7/8	111609	AK 99	1	"A-section" 3.8 ft
			3, 4	106748	1VL40	7/8	111609	AK 99	1	"A-section" 3.8 ft
			5, 6, 7	106748	1VL40	7/8	19111	AK 84	1	"A-section" 3.8 ft
			8, 9, 10, 11, 12	106748	1VL40	7/8	18797	AK 64	1	"A-section" 3.8 ft
			13, 14, 15, 16, 17	106748	1VL40	7/8	135200	AK 51	1	"A-section" 3.8 ft
			18, 19, 20, 21, 22, 23, 24, 25	106758	1VL44	7/8	206125	AK44	1	"A-section" 3.8 ft
			26, 27, 28, 29	106758	1VL44	7/8	135201	AK39	1	"A-section" 3.8 ft
2	8	AK1 (115/1); AK2 (208/1); AK3 (230/1); AK8 (575/3)	1, 2	13580	1VL34	5/8	111609	AK 99	1	"A-section" 3.8 ft
			3, 4	7962	1VL40	5/8	111609	AK 99	1	"A-section" 3.8 ft
			5, 6, 7	7962	1VL40	5/8	19111	AK84	1	"A-section" 3.8 ft
			8, 9, 10, 11, 12	7962	1VL40	5/8	18797	AK64	1	"A-section" 3.8 ft
			13, 14, 15, 16, 17	7962	1VL40	5/8	135200	AK51	1	"A-section" 3.8 ft
			18, 19, 20, 21, 22, 23, 24, 25	105476	1VL44	5/8	206125	AK44	1	"A-section" 3.8 ft
			26, 27, 28, 29	105476	1VL44	5/8	135201	AK39	1	"A-section" 3.8 ft
		AK5 (208/3); AK6 (230/3); AK7 (460/3)	1, 2	110125	1VP34	7/8	111609	AK 99	1	"A-section" 3.8 ft
			3, 4	106748	1VL40	7/8	111609	AK 99	1	"A-section" 3.8 ft
			5, 6, 7	106748	1VL40	7/8	19111	AK 84	1	"A-section" 3.8 ft
			8, 9, 10, 11, 12	106748	1VL40	7/8	18797	AK 64	1	"A-section" 3.8 ft
			13, 14, 15, 16, 17	106748	1VL40	7/8	135200	AK 51	1	"A-section" 3.8 ft
			18, 19, 20, 21, 22, 23, 24, 25	106758	1VL44	7/8	206125	AK44	1	"A-section" 3.8 ft
			26, 27, 28, 29	106758	1VL44	7/8	135201	AK39	1	"A-section" 3.8 ft
3	9	AK2 (208/1); AK3 (230/1)	9, 10, 11, 12	7962	1VL40	5/8	202652	AK124	1	"A-section" 3.8 ft
			13, 14, 15, 16, 17	7962	1VL40	5/8	202653	AK94	1	"A-section" 3.8 ft
			9, 10, 11, 12	106748	1VL40	7/8	101414	BK130	1	"B-section" 3.8 ft
3, 5	9, 10	AK5 (208/3); AK6 (230/3); AK7 (460/3); AK8 (575/3)	13, 14, 15, 16, 17	106748	1VL40	7/8	202654	BK105	1	"B-section" 3.8 ft
			18, 19, 20, 21, 22	37451	1VM50	7/8	16153	AK104	1	"A-section" 7.6 ft
			23, 24, 25, 26, 27, 28, 29	37451	1VM50	7/8	19111	AK84	1	"A-section" 7.6 ft
			30, 31, 32, 33, 34, 35, 36	37451	1VM50	7/8	105483	AK69	1	"A-section" 7.6 ft

NOTES: 1) \*Linked Belt - Assume 17 Fenner "A" or "B" belt links per foot. "A" Belt Link is P/N 201809. "B" Belt Link is P/N 202655. 2) If solid belt is required, contact factory for replacement. 3) If H x 1" bushing is required, order P/N 92203.

TEFC MOTOR		Voltage Option	Drive, Option AM	CODE 160, Motor Pulley			CODE 161, Blower Pulley			CODE 162, Belt*
HP	Option AL		See AM Key, page 21	P/N	Model	Bore	P/N	Model	Bore	
1/4	19	AK1 (115/1)	1, 2	4074	1VL34	5/8	111609	AK99	1	"A-section" 3.8 ft
			3, 4	13491	1VL40	5/8	111609	AK99	1	"A-section" 3.8 ft
			5, 6, 7	13491	1VL40	5/8	19111	AK84	1	"A-section" 3.8 ft
			8, 9, 10, 11, 12	13491	1VL40	5/8	18797	AK64	1	"A-section" 3.8 ft
			13, 14, 15, 16, 17	13491	1VL40	5/8	135200	AK51	1	"A-section" 3.8 ft
		AK2 (208/1); AK3 (230/1); AK5 (208/3); AK6 (230/3); AK7 (460/3)	1, 2	13580	1VL34	5/8	111609	AK 99	1	"A-section" 3.8 ft
			3, 4	7962	1VL40	5/8	111609	AK 99	1	"A-section" 3.8 ft
			5, 6, 7	7962	1VL40	5/8	19111	AK 84	1	"A-section" 3.8 ft
			8, 9, 10, 11, 12	7962	1VL40	5/8	18797	AK 64	1	"A-section" 3.8 ft
			13, 14, 15, 16, 17	7962	1VL40	5/8	135200	AK 51	1	"A-section" 3.8 ft
1/3	20	AK1 (115/1); AK2 (208/1); AK3 (230/1); AK5 (208/3); AK6 (230/3); AK7 (460/3)	18, 19, 20, 21, 22, 23, 24, 25	105476	1VL44	5/8	206125	AK 44	1	"A-section" 3.8 ft
			26, 27, 28, 29	105476	1VL44	5/8	135201	AK 39	1	"A-section" 3.8 ft
			1, 2	4074	1VL34	1/2	111609	AK99	1	"A-section" 3.8 ft
			3, 4	13491	1VL40	1/2	111609	AK99	1	"A-section" 3.8 ft
			5, 6, 7	13491	1VL40	1/2	19111	AK84	1	"A-section" 3.8 ft
			8, 9, 10, 11, 12	13491	1VL40	1/2	18797	AK64	1	"A-section" 3.8 ft
1/2, 3/4, 1	21, 22, 23	AK1 (115/1); AK2 (208/1); AK3 (230/1); AK5 (208/3); AK6 (230/3); AK7 (460/3); AK8 (575/3)	13, 14, 15, 16, 17	13491	1VL40	1/2	135200	AK51	1	"A-section" 3.8 ft
			1, 2	13580	1VL34	5/8	111609	AK 99	1	"A-section" 3.8 ft
			3, 4	7962	1VL40	5/8	111609	AK 99	1	"A-section" 3.8 ft
			5, 6, 7	7962	1VL40	5/8	19111	AK 84	1	"A-section" 3.8 ft
			8, 9, 10, 11, 12	7962	1VL40	5/8	18797	AK 64	1	"A-section" 3.8 ft
			13, 14, 15, 16, 17	7962	1VL40	5/8	135200	AK 51	1	"A-section" 3.8 ft
			18, 19, 20, 21, 22, 23, 24, 25	105476	1VL44	5/8	206125	AK 44	1	"A-section" 3.8 ft
			26, 27, 28, 29	105476	1VL44	5/8	194296	AK 39	1	"A-section" 3.8 ft
1-1/2	24	AK1 (115/1); AK2 (208/1); AK3 (230/1); AK5 (208/3); AK6 (230/3); AK7 (460/3)	1, 2	13580	1VL34	5/8	111609	AK 99	1	"A-section" 3.8 ft
			3, 4	7962	1VL40	5/8	11609	AK 99	1	"A-section" 3.8 ft
			5, 6, 7	7962	1VL40	5/8	19111	AK 84	1	"A-section" 3.8 ft
			8, 9, 10, 11, 12	7962	1VL40	5/8	18797	AK 64	1	"A-section" 3.8 ft
			13, 14, 15, 16, 17	7962	1VL40	5/8	135200	AK 51	1	"A-section" 3.8 ft
			18, 19, 20, 21, 22, 23, 24, 25	105476	1VL44	5/8	206125	AK 44	1	"A-section" 3.8 ft
			26, 27, 28, 29	105476	1VL44	5/8	135201	AK 39	1	"A-section" 3.8 ft

(continued)

**Drive Components (Pulleys and Belts) (cont'd)**

TEFC MOTOR (cont'd)		Voltage	Drive, Option AM	CODE 160, Motor Pulley			CODE 161, Blower Pulley			CODE 162, Belt*
HP	Option AL	Option	See AM Key, page 21.	P/N	Model	Bore	P/N	Model	Bore	
1-1/2	24	AK8 (575/3)	1, 2	110125	1VP34	7/8	111609	AK 99	1	"A-section" 3.8 ft
			3, 4	106748	1VL40	7/8	11609	AK 99	1	"A-section" 3.8 ft
			5, 6, 7	106748	1VL40	7/8	19111	AK 84	1	"A-section" 3.8 ft
			8, 9, 10, 11, 12	106748	1VL40	7/8	18797	AK 64	1	"A-section" 3.8 ft
			13, 14, 15, 16, 17	106748	1VL40	7/8	135200	AK 51	1	"A-section" 3.8 ft
			18, 19, 20, 21, 22, 23, 24, 25	106758	1VL44	7/8	206125	AK 44	1	"A-section" 3.8 ft
2	25	AK3 (230/1); AK5 (208/3); AK6 (230/3); AK7 (460/3); AK8 (575/3)	1, 2	110125	1VP34	7/8	111609	AK 99	1	"A-section" 3.8 ft
			3, 4	106748	1VL40	7/8	111609	AK 99	1	"A-section" 3.8 ft
			5, 6, 7	106748	1VL40	7/8	19111	AK 84	1	"A-section" 3.8 ft
			8, 9, 10, 11, 12	106748	1VL40	7/8	18797	AK 64	1	"A-section" 3.8 ft
			13, 14, 15, 16, 17	106748	1VL40	7/8	135200	AK 51	1	"A-section" 3.8 ft
			18, 19, 20, 21, 22, 23, 24, 25	106758	1VL44	7/8	206125	AK44	1	"A-section" 3.8 ft
3	26	AK1 (115/1); AK3 (230/1)	9, 10, 11, 12	7963	2VP42	1-1/8	30621	2AK124	1	"A-section" 7.6 ft
			13, 14, 15, 16, 17	111681	1VP50	1-1/8	223401	2AK124	1-13/16	"A-section" 7.6 ft
			18, 19, 20, 21, 22	161444	1VP56	1-1/8	202652	AK124	1	"A-section" 3.8 ft
			23, 24, 25, 26, 27, 28, 29	111681	1VP50	1-1/8	16156	AK124	1-13/16	"A-section" 3.8 ft
			30, 31, 32, 33, 34, 35, 36	111681	1VP50	1-1/8	202652	AK124	1	"A-section" 3.8 ft
							16156	AK124	1-13/16	"A-section" 3.8 ft
		AK5 (208/3); AK6 (230/3); AK7 (460/3); AK8 (575/3)	9, 10, 11, 12	106748	1VL40	7/8	101414	BK130	1	"B-section" 3.8 ft
			13, 14, 15, 16, 17	106748	1VL40	7/8	202654	BK105	1	"B-section" 3.8 ft
			18, 19, 20, 21, 22	37451	1VM50	7/8	16153	AK104	1	"A-section" 7.6 ft
			23, 24, 25, 26, 27, 28, 29	37451	1VM50	7/8	19111	AK84	1	"A-section" 7.6 ft
			30, 31, 32, 33, 34, 35, 36	37451	1VM50	7/8	105483	AK69	1	"A-section" 7.6 ft
							105484	AK71H	1-13/16	"A-section" 3.8 ft
5	27	AK3 (230/1); AK5 (208/3); AK6 (230/3); AK7 (460/3); AK8 (575/3)	9, 10, 11, 12	7963	2VP42	1-1/8	30621	2AK124	1	"A-section" 7.6 ft
			13, 14, 15, 16, 17	111681	1VP50	1-1/8	223401	2AK124	1-13/16	"A-section" 7.6 ft
			18, 19, 20, 21, 22	161444	1VP56	1-1/8	202652	AK124	1	"A-section" 3.8 ft
			23, 24, 25, 26, 27, 28, 29	111681	1VP50	1-1/8	16156	AK124	1-13/16	"A-section" 3.8 ft
			30, 31, 32, 33, 34, 35, 36	111681	1VP50	1-1/8	202652	AK124	1	"A-section" 3.8 ft
							16156	AK124	1-13/16	"A-section" 3.8 ft
		AK5 (208/3); AK6 (230/3); AK7 (460/3); AK8 (575/3)	9, 10, 11, 12	106748	1VL40	7/8	101414	BK130	1	"B-section" 3.8 ft
			13, 14, 15, 16, 17	106748	1VL40	7/8	202654	BK105	1	"B-section" 3.8 ft
			18, 19, 20, 21, 22	37451	1VM50	7/8	16153	AK104	1	"A-section" 7.6 ft
			23, 24, 25, 26, 27, 28, 29	37451	1VM50	7/8	19111	AK84	1	"A-section" 7.6 ft
			30, 31, 32, 33, 34, 35, 36	37451	1VM50	7/8	105483	AK69	1	"A-section" 7.6 ft
							105484	AK71H	1-13/16	"A-section" 3.8 ft

Energy Efficient		Voltage	Drive, Option AM	CODE 160, Motor Pulley			CODE 161, Blower Pulley			CODE 162, Belt*
HP	Option AL	Option	See AM Key, page 21	P/N	Model	Bore	P/N	Model	Bore	
1, 1-1/2, 2	36, 37, 38	AK5 (208/3); AK6 (230/3); AK7 (460/3); AK8 (575/3)	1, 2	110125	1VP34	7/8	111609	AK 99	1	"A-section" 3.8 ft
			3, 4	106748	1VL40	7/8	111609	AK 99	1	"A-section" 3.8 ft
			5, 6, 7	106748	1VL40	7/8	19111	AK 84	1	"A-section" 3.8 ft
			8, 9, 10, 11, 12	106748	1VL40	7/8	18797	AK 64	1	"A-section" 3.8 ft
			13, 14, 15, 16, 17	106748	1VL40	7/8	135200	AK 51	1	"A-section" 3.8 ft
			18, 19, 20, 21, 22, 23, 24, 25	106758	1VL44	7/8	206125	AK44	1	"A-section" 3.8 ft
3	39	AK5 (208/3); AK6 (230/3); AK7 (460/3); AK8 (575/3)	9, 10, 11, 12	106748	1VL40	7/8	101414	BK130	1	"B-section" 3.8 ft
			13, 14, 15, 16, 17	106748	1VL40	7/8	202654	BK105	1	"B-section" 3.8 ft
			18, 19, 20, 21, 22	37451	1VM50	7/8	16153	AK104	1	"A-section" 7.6 ft
			23, 24, 25, 26, 27, 28, 29	37451	1VM50	7/8	19111	AK84	1	"A-section" 7.6 ft
			30, 31, 32, 33, 34, 35, 36	37451	1VM50	7/8	105483	AK69	1	"A-section" 7.6 ft
5	27	AK5 (208/3); AK6 (230/3); AK7 (460/3); AK8 (575/3)	9, 10, 11, 12	7963	2VP42	1-1/8	30621	2AK124	1	"A-section" 7.6 ft
			13, 14, 15, 16, 17	111681	1VP50	1-1/8	223401	2AK124	1-13/16	"A-section" 7.6 ft
			18, 19, 20, 21, 22	161444	1VP56	1-1/8	202652	AK124	1	"A-section" 3.8 ft
			23, 24, 25, 26, 27, 28, 29	111681	1VP50	1-1/8	16156	AK124	1-13/16	"A-section" 3.8 ft
			30, 31, 32, 33, 34, 35, 36	111681	1VP50	1-1/8	202652	AK124	1	"A-section" 3.8 ft
							16156	AK124	1-13/16	"A-section" 3.8 ft

NOTES: \*Linked Belt - "A" Belt Link commodity is P/N 201809. "B" Belt Link commodity is P/N 202655.  
If solid belt is required, contact factory with centerline measurement for replacement.  
If H x 1" bushing is required, order P/N 92203.