

IMPORTANT

1. Always include complete heater model and serial number so that any specification change can be considered for parts shipment. It can save time and expense.
2. Specifications are subject to change without notice.
3. We reserve the right to substitute functional replacements.
4. Order either by Kit or Component Part No.

Replacement Parts

Form RZ-NA-P-X/XE/RX/RPV

Obsoletes Form RGM 705 (Version A)

APPLIES TO: Replacement Parts for Models listed in the Index including Models with prefix "C", "H", and "HC"



Index Reference by Page No.	Indoor		Outdoor				Indoor	Outdoor
	Duct Furnace	Packaged Systems	Duct Furnaces		Packaged Systems (Models discontinued as of 1990)		Unit Heaters (Obsolete)	Evaporative Cooler (Obsolete)
	X	XE/XJ	RX	RPV	RXE/RXJ	RPBE/RPVE/RPVJ/REB/REBJ	UA/XA/ XB*	RAM
Model Series Designations (including Models with prefix "C", "H", or "HC")	X	XE/XJ	RX	RPV	RXE/RXJ	RPBE/RPVE/RPVJ/REB/REBJ	UA/XA/ XB*	RAM
Baffles (Heat Exchanger)	10	10	10	10	10	10	--	--
Blower	--	11	--	--	11	11	--	--
Burner Rack and Carryovers	8	8	8	8	8	8	8**	--
Cabinet Parts (Blower)	--	12	--	--	13	13	--	--
Cabinet Parts (Heater)	4	4	4	6	4	4, 6	--	28
Carryover Regulator	8	8	8	8	8	8	--	--
Condensate Drain Kit	27	27	27	27	--	--	--	--
Contactors	--	14	--	--	14	14	--	--
Damper and Damper Controls	--	20-21	--	--	20-21	20-21	--	--
Door Latch Kit	--	13	--	--	13	13	--	--
Downturn Plenum Cabinet	--	--	--	--	20	20	--	--
Drives	--	19	--	--	19	19	--	--
Electrical Components	22-25	22-25	22-25	22-25	22-25	22-25	--	28
Fan Blades	--	--	--	--	--	--	18	--
Fill & Drain Kits (Option CT)	--	--	--	--	--	--	--	28
Filters and Filter Racks	--	12	--	--	13	13	--	28
Firestat	--	23	--	--	23	23	--	--
Flue Restrictors	--	--	6	--	6	6	--	--
Freezestat	--	24	--	--	24	24	--	--
Heat Exchanger	10	10	10	10	10	10	--	--
Limit Controls & Shields	22	22	22	22	22	22	--	--
Manifolds	8	8	8	8	8	8	--	--
Motors (Blower or Fan)	--	14-16	--	--	16-18	16-18	18	--
Pilots	26	26	26	27	26	26-27	26	--
Pressure Switch (air proving)	--	--	24	24	24	24	--	--
Pressure Switch (combustion air)	--	--	--	7, 22	--	7, 22	--	--
Pressure Switch (dirty filter)	--	24	--	--	24	24	--	--
Pressure Switch (gas)	23	23	23	23	23	23	--	--
Relays	23-24	23-24	23-24	23-24	23-24	23-24	23-24	--
Remote Console (Option RC)	25	25	25	25	25	25	--	--
Serial Number Designation	2	2	2	2	2	2	2	--
Starters & Starter Heaters	--	14-16	--	--	16-18	16-18	--	--
Switch, Blocked Vent	22	22	--	--	--	--	--	--
Switches, Disconnect & Toggle	25	25	25	25	25	25	25	--
Tape for Curbs	--	--	27	27	27	27	--	--
Transformer	24	24	24	24	24	24	--	--
***Valves (Shutoff)	8	8	8	8	8	8	8	--
Venters	--	--	--	6	--	6	--	--
Vertical Vent Kit (Option CC3)	--	--	--	6	--	6	--	--
Weatherhood (Outside air hood)	--	--	--	--	20	20	--	--
Z-Baffles (Option ZZ)	--	--	4-5	--	4-5	--	--	--

* Replacement parts for obsolete unit heaters are limited. Cabinet parts are not available. ** Not available for Model UA.

REFERENCES:

Replacement Parts and Service Forms, Form RZ-NA

P-PILOTS, Pilots

P-STATS, Thermostats and Accessories

P-GC, Gas Conversion

P-LTR-TUBES, Burner Rack Carryover and Lighter Tubes

P-RG/RP/RBL, Parts for Model Series RG and RP

P-FAN-LIMIT, Fan and Limit Controls

***P-VALVES, Serial Nos., Gas Valves, Ignition Controllers, and Maxitrol Gas Controls

P-VENTER, Power Venter for Model Series X and XE

737, Parts for Model PAK

CP-X-CONV, Convert Model Series X and RX with G19 or T32 to G770

CP-RPV-CONV, Convert Model Series RPV with G29 to G770

CP-RPV-PS, Pressure Switch Kit for Model Series RPV

CP-X/SC-IGN, Convert Model Series X and RX with G60 to G770

CP-EEDU/RPV/XLB-IGN, Convert Model Series RPV with G60 to G770

Installation/Operation Forms for currently manufactured Models, Form RZ-NA

I-OUTDOOR-DUCT, Models RX and RPV

I-XE/RGB/RPB, Model XE

I-X, Model X

Replacement Motors and Starters


Replacement motor **contactor**, #425CXX-11, is P/N **122376** with 24 volt coil for 115, 208, 230, or 460 supply voltage. Motors in the tables that are not highlighted have either a motor contactor or an optional starter.



Replacement IEC Starters and Overloads (P/N's are listed in the motor tables) - When ordering a replacement IEC starter (contactor) or overload, check the manufacturer's number on both parts. If the number is different than that listed, both components must be replaced.

Motors that are highlighted in gray in the motor tables do not have internal overload protection and must be used with the IEC motor starter and overload listed in the table.

If the motor has a NEMA starter, see the replacement parts on the right.



IEC Starter (Contactor)



IEC Adjustable Overload

IEC Starter (contactor) and overload are mounted on rail, P/N **111387**

Replacement NEMA Starters and Contactors

All systems in this book manufactured prior to 9/91 were equipped with a NEMA motor starter or contactor.

NEMA Motor Starters				Motor Contactor		
P/N	Size	Type	Coil Voltage	P/N	Voltage	Coil Voltage
39919	0	Open	24 Volt	Contactor mounted in Box with Cover		
37953	0	Enclosed	200/208 Volt	95527	115V	115 Volt
37954	0	Enclosed	230 Volt	95528	230V	230 Volt
37955	0	Enclosed	460 volt	95526	460V	24 Volt
39920	1	Open	24 Volt	Contactor only (less case)		
39921	2	Open	24 Volt	93662	115	115 Volt
39922	3	Open	24 Volt	93663	230	230 Volt
Holding Coils for NEMA Starters				122376	115,208	24 Volt
					230,460	
P/N	Size	Coil Voltage				
48531	0/1	24 Volt				
48507	0/1	115 Volt				
48509	0/1	208 Volt				
73795	0/1	230 Volt				
48512	0/1	460 Volt				
73601	0/1	575 Volt				
95093	3	24 Volt				
Auxiliary Contact for NEMA Starters						
P/N	Starter Size					
38088	0, 1, 2	Normally Open Contact				

Replacement Holding Coils for IEC Starters

Voltage	Reznor GE #	P/N	For Use with Contactors Beginning with GE#	Voltage	Reznor GE #	P/N	For Use with Contactors Beginning with GE#
24	LB1A-C	151280	CL00; CL01; CL02; CL25	208	LB3A-L	151288	CL04; CL45
120	LB1A-J	151281	CL00; CL01; CL02; CL25	230	LB3A-S	151289	CL04; CL45
208	LB1A-L	151282	CL00; CL01; CL02; CL25	460	LB3A-U	151290	CL04; CL45
230	LB1A-S	151283	CL00; CL01; CL02; CL25	575	LB3A-Y	151291	CL04; CL45
460	LB1A-U	151284	CL00; CL01; CL02; CL25	208	LB4A-L	151292	CL06; CL07; CL08; CL09
575	LB1A-Y	151285	CL00; CL01; CL02; CL25	230	LB4A-S	151293	CL06; CL07; CL08; CL09
24	LB3A-C	151286	CL04; CL45	460	LB4A-U	151294	CL06; CL07; CL08; CL09
120	LB3A-J	151287	CL04; CL45				

Motors and Starters for Model XE (for rooftop models, see page 16; for other models, see page 18)

Motors that are highlighted in gray do not have internal overload protection and must be used with the motor starter and overload listed.

Motor					Reznor	Replaces			Contactor	Reznor	Overload		Reznor	
Type	HP	Mfr	FLA	Mfr No.	P/N	P/N	V	ph	GE#	P/N	GE#	Min	Max	P/N
OPEN	1/4	A.O.Smith	5.1	316P260	93545		120	1	CL00A310T-1	151275	RTA1-L	4.00	6.30	151191
OPEN	1/4	A.O.Smith	2.1	325P163	115790	85087	208	1	CL00A310T-1	151275	RTA1-J	1.90	2.70	151189
OPEN	1/4	A.O.Smith	2.3	325P163	115790	85087	240	1	CL00A310T-1	151275	RTA1-J	1.90	2.70	151189
OPEN	1/4	Century	1.1	H200	115864		208	3	CL00A310T-1	151275	RTA1-G	1.00	1.50	151187
OPEN	1/4	Century	1.4	H200	115864		240	3	CL00A310T-1	151275	RTA1-G	1.00	1.50	151187
OPEN	1/4	Century	0.75	H200	115864		480	3	CL00A310T-1	151275	RTA1-F	0.65	1.10	151186
OPEN	1/3	A.O.Smith	5.5	316P308	93546		120	1	CL00A310T-1	151275	RTA1-L	4.00	6.30	151191
OPEN	1/3	Century	3.2	F153	115862	7802	208	1	CL00A310T-1	151275	RTA1-K	2.50	4.10	151190
OPEN	1/3	Century	2.8	F153	115862	7802	240	1	CL00A310T-1	151275	RTA1-K	2.50	4.10	151190
OPEN	1/3	Century	1.4	H260	115863		208	3	CL00A310T-1	151275	RTA1-G	1.00	1.50	151187
OPEN	1/3	Century	1.6	H260	115863		240	3	CL00A310T-1	151275	RTA1-H	1.30	1.90	151188
OPEN	1/3	Century	0.8	H260	115863		480	3	CL00A310T-1	151275	RTA1-F	0.65	1.10	151186
OPEN	1/2	Century	8.8	327P828	102627		120	1	CL00A310T-1	151275	RTA1-N	8.00	12.00	151193
OPEN	1/2	A.O.Smith	5.1	327P828	102627		208	1	CL00A310T-1	151275	RTA1-L	4.00	6.30	151191
OPEN	1/2	A.O.Smith	4.4	327P828	102627		240	1	CL00A310T-1	151275	RTA1-L	4.00	6.30	151191
OPEN	1/2	Century	2.1	H880	159183	13443	208	3	CL00A310T-1	151275	RTA1-J	1.90	2.70	151189
OPEN	1/2	Century	2	H880	159183	13443	240	3	CL00A310T-1	151275	RTA1-K	1.90	2.70	151190
OPEN	1/2	Century	1	H880	159183	13443	480	3	CL00A310T-1	151275	RTA1-H	0.65	1.10	151188
OPEN	3/4	A.O.Smith	11	312P629	93548		120	1	CL01A310T-1	151276	RTA1-P	10.00	16.00	151194
OPEN	3/4	A.O.Smith	6.3	312P629	93548		208	1	CL00A310T-1	151275	RTA1-M	5.50	8.50	151192
OPEN	3/4	A.O.Smith	5.5	312P629	93548		240	1	CL00A310T-1	151275	RTA1-L	4.00	6.30	151191

Motors and Starters for Model XE - cont'd (for rooftop models, see page 16; for other models, see page 18)

Motors that are highlighted in gray do not have internal overload protection and must be used with the motor starter and overload listed.

Motor					Reznor P/N	Replaces P/N	V	ph	Contactor GE#	Reznor P/N	Overload			Reznor P/N
Type	HP	Mfr	FLA	Mfr No.							GE#	Min	Max	
OPEN	3/4	A.O.Smith	2.9	312P696	36951		208	3	CL00A310T-1	151275	RTA1-K	2.50	4.10	151190
OPEN	3/4	A.O.Smith	2.6	312P696	36951		240	3	CL00A310T-1	151275	RTA1-K	2.50	4.10	151190
OPEN	3/4	A.O.Smith	1.3	312P696	36951		480	3	CL00A310T-1	151275	RTA1-G	1.00	1.50	151187
OPEN	1	A.O.Smith	13	327P297	13685		120	1	CL01A310T-1	151276	RTA1-P	10.00	16.00	151194
OPEN	1	A.O.Smith	7.5	327P297	13685		208	1	CL00A310T-1	151275	RTA1-M	5.50	8.50	151192
OPEN	1	A.O.Smith	6.5	327P297	13685		240	1	CL00A310T-1	151275	RTA1-M	5.50	8.50	151192
OPEN	1	A.O.Smith	3.7	312P703	36580		208	3	CL00A310T-1	151275	RTA1-K	2.50	4.10	151190
OPEN	1	A.O.Smith	3.2	312P703	36580		240	3	CL00A310T-1	151275	RTA1-K	2.50	4.10	151190
OPEN	1	A.O.Smith	1.6	312P703	36580		480	3	CL00A310T-1	151275	RTA1-H	1.30	1.90	151188
OPEN	1	Century	1.4	E101656	158175	105533	575	3	CL00A310T-1	151275	RTA1-G	1.00	1.50	151187
OPEN	1.5	Century	15	C688	105527		120	1	CL02A310T-1	151277	RTA1-P	10.00	16.00	151194
OPEN	1.5	A.O.Smith	8.3	311P763	4082		208	1	CL00A310T-1	151275	RTA1-N	8.00	12.00	151193
OPEN	1.5	A.O.Smith	7.5	311P763	4082		240	1	CL00A310T-1	151275	RTA1-M	5.50	8.50	151192
OPEN	1.5	Century	5.6	H884	115859	16081	208	3	CL00A310T-1	151275	RTA1-L	4.00	6.30	151191
OPEN	1.5	Century	5	H884	115859	16081	240	3	CL00A310T-1	151275	RTA1-L	4.00	6.30	151191
OPEN	1.5	Century	2.7	H884	115859	16081	480	3	CL00A310T-1	151275	RTA1-J	1.90	2.70	151189
OPEN	1.5	Century	2	E101657	158162	105534	575	3	CL00A310T-1	151275	RTA1-J	1.90	2.70	151189
OPEN	2	Century	20.4	V102	105528		120	1	CL25A310T-1	151278	RTA1-T	17.50	22.00	151197
OPEN	2	Century	10	V102	105528		208	1	CL00A310T-1	151275	RTA1-N	8.00	12.00	151193
OPEN	2	Century	10.2	V102	105528		240	1	CL01A310T-1	151276	RTA1-P	10.00	16.00	151194
OPEN	2	Century	7	H886	159327	13697	208	3	CL01A310T-1	151276	RTA1-M	5.50	8.50	151192
OPEN	2	Century	6.6	H886	159327	13697	240	3	CL01A310T-1	151276	RTA1-M	5.50	8.50	151192
OPEN	2	Century	3.3	H886	159327	13697	480	3	CL01A310T-1	151276	RTA1-K	2.50	4.10	151190
OPEN	2	Century	2.4	E101658	158176	105535	575	3	CL01A310T-1	151276	RTA1-J	1.90	2.70	151189
OPEN	3	Century	9.1	H845	159185	31693	208	3	CL01A310T-1	151276	RTA1-N	8.00	12.00	151193
OPEN	3	Century	8.4	H845	159185	31692	240	3	CL01A310T-1	151276	RTA1-N	8.00	12.00	151193
OPEN	3	Century	4.2	H845	159185	31692	480	3	CL01A310T-1	151276	RTA1-L	4.00	6.30	151191
OPEN	3	Century	3.6	181532-01	120019		575	3	CL01A310T-1	151276	RTA1-K	2.50	4.10	151190
OPEN	5	Century	13.4	181159-01	113371	85748	208	3	CL01A310T-1	151276	RTA1-P	10.00	16.00	151194
OPEN	5	Century	13.2	8-181159-01	113371	85748	240	3	CL01A310T-1	151276	RTA1-P	10.00	16.00	151194
OPEN	5	Century	6.6	8-181159-01	113371	85748	480	3	CL01A310T-1	151276	RTA1-M	5.50	8.50	151192
OPEN	5	Century	5.4	8-181533-01	120020	105829	575	3	CL01A310T-1	151276	RTA1-L	4.00	6.30	151191

Motor					Reznor P/N	Replaces P/N	V	ph	Contactor GE#	Reznor P/N	Overload			Reznor P/N
Type	HP	Mfr	FLA	Mfr No.							GE#	Min	Max	
TEFC	1/4	Century	3.6	STOCK #904	105566		120	1	CL01A310T-1	151276	RTA1-K	2.50	4.10	151190
TEFC	1/4	Century	2.2	108152	16074		208	1	CL01A310T-1	151276	RTA1-J	1.90	2.70	151189
TEFC	1/4	Century	1.9	108152	16074		240	1	CL01A310T-1	151276	RTA1-H	1.30	1.90	151188
TEFC	1/4	Century	1.6	125439	16075		208	3	CL01A310T-1	151276	RTA1-H	1.30	1.90	151188
TEFC	1/4	Century	1.4	125439	16075		240	3	CL01A310T-1	151276	RTA1-G	1.00	1.50	151187
TEFC	1/4	Century	0.7	125439	16075		480	3	CL01A310T-1	151276	RTA1-F	0.65	1.10	151186
TEFC	1/3	Century	4.6	E316	159331		120	1	CL01A310T-1	151276	RTA1-L	4.00	6.30	151191
TEFC	1/3	Century	2.3	E317	159332		208	1	CL01A310T-1	151276	RTA1-J	1.90	2.70	151189
TEFC	1/3	Century	2.4	E317	159332		240	1	CL01A310T-1	151276	RTA1-J	1.90	2.70	151189
TEFC	1/3	Century	1.2	E324	158164		208	3	CL01A310T-1	151276	RTA1-G	1.00	1.50	151187
TEFC	1/3	Century	1.2	H261	105567		240	3	CL01A310T-1	151276	RTA1-G	1.00	1.50	151187
TEFC	1/3	Century	0.6	H261	105567		480	3	CL01A310T-1	151276	RTA1-D	0.40	0.65	151184
TEFC	1/2	Century	7	E318	159333		120	1	CL01A310T-1	151276	RTA1-M	5.50	8.50	151192
TEFC	1/2	Century	3.4	E319	159334		208	1	CL01A310T-1	151276	RTA1-K	2.50	4.10	151190
TEFC	1/2	Century	3.5	E319	159334		240	1	CL01A310T-1	151276	RTA1-K	2.50	4.10	151190
TEFC	1/2	Century	2.3	E325	158163		208	3	CL01A310T-1	151276	RTA1-J	1.90	2.70	151189
TEFC	1/2	Century	2	119851	16077		240	3	CL01A310T-1	151276	RTA1-J	1.90	2.70	151189
TEFC	1/2	Century	1	119851	16077		480	3	CL01A310T-1	151276	RTA1-F	0.65	1.10	151186
TEFC	1/2	Century	0.7	H276	105568		575	3	CL01A310T-1	151276	RTA1-F	0.65	1.10	151186
TEFC	3/4	Century	11	F353	115860		120	1	CL01A310T-1	151276	RTA1-P	10.00	16.00	151194
TEFC	3/4	Century	5.4	F353	115860		208	1	CL01A310T-1	151276	RTA1-L	4.00	6.30	151191
TEFC	3/4	Century	5.5	F353	115860		240	1	CL01A310T-1	151276	RTA1-L	4.00	6.30	151191
TEFC	3/4	Century	2	142198	20371		208	3	CL01A310T-1	151276	RTA1-J	1.90	2.70	151189
TEFC	3/4	Century	2.2	142198	20371		240	3	CL01A310T-1	151276	RTA1-J	1.90	2.70	151189
TEFC	3/4	Century	1.1	142198	20371		480	3	CL01A310T-1	151276	RTA1-F	0.65	1.10	151186
TEFC	3/4	Century	0.8	H461	105569		575	3	CL01A310T-1	151276	RTA1-F	0.65	1.10	151186

Motors and Starters for Model XE - cont'd (for rooftop models, see below; for other models, see page 18)

Motors that are highlighted in gray do not have internal overload protection and must be used with the motor starter and overload listed.

Motor					Reznor P/N	Replaces P/N	V	ph	Contactor GE#	Reznor P/N	Overload			Reznor P/N
Type	HP	Mfr	FLA	Mfr No.							GE#	Min	Max	
TEFC	1	Century	12	159105	174993		120	1	CL01A310T-1	151276	RTA1-P	10.00	16.00	151194
TEFC	1	Century	6.2	159105	174993		208	1	CL00A310T-1	151275	RTA1-M	5.50	8.50	151192
TEFC	1	Century	6	159105	174993		240	1	CL00A310T-1	151275	RTA1-M	5.50	8.50	151192
TEFC	1	Century	3.3	8-159223-01	16080		208	3	CL00A310T-1	151275	RTA1-K	2.50	4.10	151190
TEFC	1	Century	3.4	8-159223-01	16080		240	3	CL00A310T-1	151275	RTA1-K	2.50	4.10	151190
TEFC	1	Century	1.7	8-159223-01	16080		480	3	CL00A310T-1	151275	RTA1-H	1.30	1.90	151188
TEFC	1	Century	1.4	H525	105570		575	3	CL00A310T-1	151275	RTA1-G	1.00	1.50	151187
TEFC	1 1/2	A.O.Smith	16.4	311P402	94347		120	1	CL02A310T-1	151277	RTA1-S	14.50	18.00	151196
TEFC	1 1/2	A.O.Smith	9.5	311P402	94347		208	1	CL00A310T-1	151275	RTA1-N	8.00	12.00	151193
TEFC	1 1/2	A.O.Smith	8.2	311P402	94347		240	1	CL00A310T-1	151275	RTA1-N	8.00	12.00	151193
TEFC	1 1/2	Century	4.3	362272	101286		208	3	CL00A310T-1	151275	RTA1-L	4.00	6.30	151191
TEFC	1 1/2	Century	4.4	362272	101286		240	3	CL00A310T-1	151275	RTA1-L	4.00	6.30	151191
TEFC	1 1/2	Century	2.2	362272	101286		480	3	CL00A310T-1	151275	RTA1-J	1.90	2.70	151189
TEFC	1 1/2	Century	1.8	E127	105665		575	3	CL00A310T-1	151275	RTA1-H	1.30	1.90	151188
TEFC	2	Century	24	K200	105572		120	1	CL04A310M-1	151279	RTA1-U	21.00	26.00	151198
TEFC	2	Century	12	K200	105572		240	1	CL01A310T-1	151276	RTA1-P	10.00	16.00	151194
TEFC	2	Century	6.5	E166	158165		208	3	CL00A310T-1	151275	RTA1-M	5.50	8.50	151192
TEFC	2	Century	5.6	E166	158165		240	3	CL00A310T-1	151275	RTA1-L	4.00	6.30	151191
TEFC	2	Century	2.8	E166	158165		480	3	CL00A310T-1	151275	RTA1-K	2.50	4.10	151190
TEFC	2	Century	2.2	E169	158166		575	3	CL00A310T-1	151275	RTA1-J	1.90	2.70	151189
TEFC	3	Century	8.5	M3559T	159330		208	3	CL00A310T-1	151275	RTA1-N	8.00	12.00	151193
TEFC	3	Century	8.2	M3559T	159330		240	3	CL00A310T-1	151275	RTA1-N	8.00	12.00	151193
TEFC	3	Century	4.1	M3559T	159330		480	3	CL00A310T-1	151275	RTA1-L	4.00	6.30	151191
TEFC	3	Century	3.1	E272	158168		575	3	CL00A310T-1	151275	RTA1-K	2.50	4.10	151190

Motors and Starters for Rooftop Models (for indoor Model XE, go to page 14; for other models, see page 18)

Motors that are highlighted in gray do not have internal overload protection and must be used with the motor starter and overload listed.

Motor					Reznor P/N	Replaces P/N	V	ph	Contactor GE#	Reznor P/N	Overload			Reznor P/N
Type	HP	Mfr	FLA	Mfr No.							GE#	Min	Max	
OPEN	1/4	A.O.Smith	5.1	316P260	93545		120	1	CL00A310T-J	151146	RTA1-L	4	6.3	151191
OPEN	1/4	A.O.Smith	2.1	325P163	115790	85087	208	1	CL00A310T-L	151150	RTA1-J	1.9	2.7	151189
OPEN	1/4	A.O.Smith	2.3	325P163	115790	85087	240	1	CL00A310T-S	151147	RTA1-J	1.9	2.7	151189
OPEN	1/4	Century	1.1	H200	115864		208	3	CL00A310T-L	151150	RTA1-G	1	1.5	151187
OPEN	1/4	Century	1.4	H200	115864		240	3	CL00A310T-S	151147	RTA1-G	1	1.5	151187
OPEN	1/4	Century	0.75	H200	115864		480	3	CL00A310T-U	151148	RTA1-F	0.6	1.1	151186
OPEN	1/3	A.O.Smith	5.5	316P308	93546		120	1	CL00A310T-J	151146	RTA1-L	4	6.3	151191
OPEN	1/3	Century	3.2	F153	115862	7802	208	1	CL00A310T-L	151150	RTA1-K	2.5	4	151190
OPEN	1/3	Century	2.8	F153	115862	7802	240	1	CL00A310T-S	151147	RTA1-K	2.5	4	151190
OPEN	1/3	Century	1.4	H260	115863		208	3	CL00A310T-L	151150	RTA1-G	1	1.5	151187
OPEN	1/3	Century	1.6	H260	115863		240	3	CL00A310T-S	151147	RTA1-H	1.3	1.9	151188
OPEN	1/3	Century	0.8	H260	115863		480	3	CL00A310T-U	151148	RTA1-F	0.6	1.1	151186
OPEN	1/2	Century	8.8	327P828	102627		120	1	CL00A310T-J	151146	RTA1-N	7	10	151193
OPEN	1/2	A.O.Smith	5.1	327P828	102627		208	1	CL00A310T-L	151150	RTA1-L	4	6.3	151191
OPEN	1/2	A.O.Smith	4.4	327P828	102627		240	1	CL00A310T-S	151147	RTA1-L	4	6.3	151191
OPEN	1/2	Century	3	H880	159183	13443	208	3	CL00A310T-L	151150	RTA1-K	2.5	4	151190
OPEN	1/2	Century	2.5	H880	159183	13443	240	3	CL00A310T-S	151147	RTA1-K	2.5	4	151190
OPEN	1/2	Century	1	H880	159183	13443	480	3	CL00A310T-U	151148	RTA1-G	1	1.5	151187
OPEN	3/4	A.O.Smith	11	312P629	93548		120	1	CL01A310T-J	151151	RTA1-P	10	16	151194
OPEN	3/4	A.O.Smith	6.3	312P629	93548		208	1	CL00A310T-L	151150	RTA1-M	5.5	7.5	151192
OPEN	3/4	A.O.Smith	5.5	312P629	93548		240	1	CL00A310T-S	151147	RTA1-L	4	6.3	151191
OPEN	3/4	A.O.Smith	2.9	312P696	36951		208	3	CL00A310T-L	151150	RTA1-K	2.5	4	151190
OPEN	3/4	A.O.Smith	2.6	312P696	36951		240	3	CL00A310T-S	151147	RTA1-K	2.5	4	151190
OPEN	3/4	A.O.Smith	1.3	312P696	36951		480	3	CL00A310T-U	151148	RTA1-G	1	1.5	151187
OPEN	1	A.O.Smith	13	327P297	13685		120	1	CL01A310T-J	151151	RTA1-P	10	16	151194
OPEN	1	A.O.Smith	7.5	327P297	13685		208	1	CL00A310T-L	151150	RTA1-M	5.5	7.5	151192
OPEN	1	A.O.Smith	6.5	327P297	13685		240	1	CL00A310T-S	151147	RTA1-M	5.5	7.5	151192
OPEN	1	A.O.Smith	3.7	312P703	36580		208	3	CL00A310T-L	151150	RTA1-K	2.5	4	151190
OPEN	1	A.O.Smith	3.2	312P703	36580		240	3	CL00A310T-S	151147	RTA1-K	2.5	4	151190
OPEN	1	A.O.Smith	1.6	312P703	36580		480	3	CL00A310T-U	151148	RTA1-H	1.3	1.9	151188
OPEN	1	Century	1.1	E1006	158175	105533	575	3	CL00A310T-Y	151149	RTA1-G	1	1.5	151187

Motors and Starters for Rooftop Models - cont'd (for Model XE, go to page 14; for other models, see page 18)

Motors that are highlighted in gray do not have internal overload protection and must be used with the motor starter and overload listed.

Motor					Reznor P/N	Replaces P/N	V	ph	Contactor GE#	Reznor P/N	Overload			Reznor P/N
Type	HP	Mfr	FLA	Mfr No.							GE#	Min	Max	
OPEN	1.5	Century	15	C688	105527		120	1	CL02A310T-J	151156	RTA1-P	10	16	151194
OPEN	1.5	A.O.Smith	8.3	311P763	4082		208	1	CL00A310T-L	151150	RTA1-N	7	10	151193
OPEN	1.5	A.O.Smith	7.5	311P763	4082		240	1	CL00A310T-S	151147	RTA1-M	5.5	7.5	151192
OPEN	1.5	Century	5.6	H884	115859	16081	208	3	CL00A310T-L	151150	RTA1-L	4	6.3	151191
OPEN	1.5	Century	5	H884	115859	16081	240	3	CL00A310T-S	151147	RTA1-L	4	6.3	151191
OPEN	1.5	Century	2.7	H884	115859	16081	480	3	CL00A310T-U	151148	RTA1-J	1.9	2.7	151189
OPEN	1.5	Century	1.6	E1007	158162	105534	575	3	CL00A310T-Y	151149	RTA1-H	1.3	1.9	151188
OPEN	2	Century	20.4	V102	105528		120	1	CL25A310T-J	151160	RTA1-T	17.5	22	151197
OPEN	2	Century	10	V102	105528		208	1	CL01A310T-L	151155	RTA1-N	7	10	151193
OPEN	2	Century	10.2	V102	105528		240	1	CL01A310T-S	151152	RTA1-P	10	16	151194
OPEN	2	Century	7	H886	159327	13697	208	3	CL00A310T-L	151150	RTA1-M	5.5	7.5	151192
OPEN	2	Century	6.6	H886	159327	13697	240	3	CL00A310T-S	151147	RTA1-M	5.5	7.5	151192
OPEN	2	Century	3.5	H886	159327	13697	480	3	CL00A310T-U	151148	RTA1-K	2.5	4	151190
OPEN	2	Century	2.1	E1008	158176	105535	575	3	CL00A310T-Y	151149	RTA1-J	1.9	2.7	151189
OPEN	3	Century	14	B735	111560	31693	208	1	CL02A310T-L	151159	RTA1-P	10	16	151194
OPEN	3	Century	12.4	B735	111560	31692	240	1	CL01A310T-S	151152	RTA1-P	10	16	151194
OPEN	3	Century	9	H845	159185	31692	208	3	CL00A310T-L	151150	RTA1-N	7	10	151193
OPEN	3	Century	8.6	H845	159185		240	3	CL00A310T-S	151147	RTA1-N	7	10	151193
OPEN	3	Century	4.3	H845	159185		480	3	CL00A310T-U	151148	RTA1-L	4	6.3	151191
OPEN	3	Century	3.6	181532-01	120019		575	3	CL00A310T-Y	151149	RTA1-K	2.5	4	151190
OPEN	5	Century	28	V211	111562		208	1	CL04A310M-L	151169	RTA1-V	25	32	151199
OPEN	5	Century	26	V211	111562	111563	240	1	CL04A310M-S	151166	RTA1-V	25	32	151199
OPEN	5	Century	13.4	181159-01	113371	85748	208	3	CL01A310T-L	151155	RTA1-P	10	16	151194
OPEN	5	Century	13.2	8-181159-01	113371	85748	240	3	CL01A310T-S	151152	RTA1-P	10	16	151194
OPEN	5	Century	6.6	8-181159-01	113371	85748	480	3	CL00A310T-U	151148	RTA1-M	5.5	7.5	151192
OPEN	5	Century	5.4	8-181533-01	120020	105829	575	3	CL00A310T-Y	151149	RTA1-L	4	6.3	151191

Motor					Reznor P/N	Replaces P/N	V	ph	Contactor GE#	Reznor P/N	Overload			Reznor P/N
Type	HP	Mfr	FLA	Mfr No.							GE#	Min	Max	
TEFC	1/4	Century	3.6	STOCK #904	105566		120	1	CL00A310T-J	151146	RTA1-K	2.5	4	151190
TEFC	1/4	Century	2.2	108152	16074		208	1	CL00A310T-L	151150	RTA1-J	1.9	2.7	151189
TEFC	1/4	Century	1.9	108152	16074		240	1	CL00A310T-S	151147	RTA1-H	1.3	1.9	151188
TEFC	1/4	Century	1.6	125439	16075		208	3	CL00A310T-L	151150	RTA1-H	1.3	1.9	151188
TEFC	1/4	Century	1.4	125439	16075		240	3	CL00A310T-S	151147	RTA1-G	1	1.5	151187
TEFC	1/4	Century	0.7	125439	16075		480	3	CL00A310T-U	151148	RTA1-F	0.6	1.1	151186
TEFC	1/3	Century	4.6	STOCK #906	115861		120	1	CL00A310T-J	151146	RTA1-L	4	6.3	151191
TEFC	1/3	Century	2.3	C151	159501	102293	208	1	CL00A310T-L	151150	RTA1-J	1.8	2.7	151189
TEFC	1/3	Century	2.4	C151	159501	102293	240	1	CL00A310T-S	151147	RTA1-J	1.8	2.7	151189
TEFC	1/3	Century	1.2	H261	105567		208	3	CL00A310T-L	151150	RTA1-G	1	1.5	151187
TEFC	1/3	Century	1.2	H261	105567		240	3	CL00A310T-S	151147	RTA1-G	1	1.5	151187
TEFC	1/3	Century	0.6	H261	105567		480	3	CL00A310T-U	151148	RTA1-D	0.4	0.63	151184
TEFC	1/2	Century	7.2	C613	159184	31273	120	1	CL00A310T-J	151146	RTA1-M	5.5	7.5	151192
TEFC	1/2	Century	3.5	C613	159184	31273	208	1	CL00A310T-L	151150	RTA1-K	2.5	4	151190
TEFC	1/2	Century	3.6	C613	159184	31273	240	1	CL00A310T-S	151147	RTA1-K	2.5	4	151190
TEFC	1/2	Century	2.3	119851	16077		208	3	CL00A310T-L	151150	RTA1-J	1.9	2.7	151189
TEFC	1/2	Century	2	119851	16077		240	3	CL00A310T-S	151147	RTA1-J	1.9	2.7	151189
TEFC	1/2	Century	1	119851	16077		480	3	CL00A310T-U	151148	RTA1-F	0.6	1.1	151186
TEFC	1/2	Century	0.7	H276	105568		575	3	CL00A310T-Y	151149	RTA1-F	0.63	0.9	151186
TEFC	3/4	Century	11	F353	115860		120	1	CL01A310T-J	151151	RTA1-P	10	16	151194
TEFC	3/4	Century	5.4	F353	115860		208	1	CL00A310T-L	151150	RTA1-L	4	6.3	151191
TEFC	3/4	Century	5.5	F353	115860		240	1	CL00A310T-S	151147	RTA1-L	4	6.3	151191
TEFC	3/4	Century	2	142198	20371		208	3	CL00A310T-L	151150	RTA1-J	1.9	2.7	151189
TEFC	3/4	Century	2.2	142198	20371		240	3	CL00A310T-S	151147	RTA1-J	1.9	2.7	151189
TEFC	3/4	Century	1.1	142198	20371		480	3	CL00A310T-U	151148	RTA1-F	0.6	1.1	151186
TEFC	3/4	Century	0.8	H461	105569		575	3	CL00A310T-Y	151149	RTA1-F	0.6	1.1	151186
TEFC	1	Century	12	159105	174993	43270	120	1	CL01A310T-J	151151	RTA1-P	10	16	151194
TEFC	1	Century	6.2	159105	174993		208	1	CL00A310T-S	151147	RTA1-M	5.5	7.5	151192
TEFC	1	Century	6	159105	174993	43270	240	1	CL00A310T-S	151147	RTA1-M	5.5	7.5	151192
TEFC	1	Century	3.3	8-159223-01	16080		208	3	CL00A310T-L	151150	RTA1-K	2.5	4	151190
TEFC	1	Century	3.4	8-159223-01	16080		240	3	CL00A310T-S	151147	RTA1-K	2.5	4	151190

Motors and Starters for Rooftop Models - cont'd (for Model XE, go to page 14; for other models, see below)

Motors that are highlighted in gray do not have internal overload protection and must be used with the motor starter and overload listed.

Motor					Reznor P/N	Replaces P/N	V	ph	Contactor GE#	Reznor P/N	Overload			Reznor P/N
Type	HP	Mfr	FLA	Mfr No.							GE#	Min	Max	
TEFC	1	Century	1.7	8-159223-01	16080		480	3	CL00A310T-U	151148	RTA1-H	1.3	1.9	151188
TEFC	1	Century	1.4	H525	105570		575	3	CL00A310T-Y	151149	RTA1-G	1	1.5	151187
TEFC	1 1/2	A.O.	16.4	311P402	94347		120	1	CL02A310T-J	151156	RTA1-S	14.5	17.5	151196
TEFC	1 1/2	A.O.	9.5	311P402	94347		208	1	CL00A310T-L	151150	RTA1-N	7	10	151193
TEFC	1 1/2	A.O.	8.2	311P402	94347		240	1	CL00A310T-S	151147	RTA1-N	7	10	151193
TEFC	1 1/2	Century	4.3	362272	101286		208	3	CL00A310T-L	151150	RTA1-L	4	6.3	151191
TEFC	1 1/2	Century	4.4	362272	101286		240	3	CL00A310T-S	151147	RTA1-L	4	6.3	151191
TEFC	1 1/2	Century	2.2	362272	101286		480	3	CL00A310T-U	151148	RTA1-J	1.9	2.7	151189
TEFC	1 1/2	Century	1.6	E127	105665		575	3	CL00A310T-Y	151149	RTA1-H	1.3	1.9	151188
TEFC	2	Century	24	K200	105572		120	1	CL04A310M-J	151165	RTA1-U	21	26	151198
TEFC	2	Century	12	K200	105572		240	1	CL01A310T-S	151152	RTA1-P	10	16	151194
TEFC	2	Century	6.5	E166	158165	101288	208	3	CL00A310T-L	151150	RTA1-M	5.5	7.5	151192
TEFC	2	Century	5.8	E166	158165	101288	240	3	CL00A310T-S	151147	RTA1-L	4	6.3	151191
TEFC	2	Century	2.9	E166	158165	101288	480	3	CL00A310T-U	151148	RTA1-K	2.5	4	151190
TEFC	2	Century	2.3	E169	158166	105573	575	3	CL00A310T-Y	151149	RTA1-J	1.9	2.7	151189
TEFC	3	Century	30	K222	111564		120	1	CL04A310M-J	113505	RTA1-V	25	32	151199
TEFC	3	Century	15	K222	111564		240	1	CL02A310T-S	151157	RTA1-P	10	16	151194
TEFC	3	Baldor	8.5	M3559T	159330	111565	208	3	CL00A310T-L	151150	RTA1-N	7	10	151193
TEFC	3	Baldor	8.2	M3559T	159330	111565	240	3	CL00A310T-S	151147	RTA1-N	7	10	151193
TEFC	3	Baldor	4.1	M3559T	159330	111565	480	3	CL00A310T-U	151148	RTA1-L	4	6.3	151191
TEFC	3	Century	3	E272	158168	111566	575	3	CL00A310T-Y	151149	RTA1-K	2.5	4	151190
TEFC	5	Century	13.2	E241	155048	111568	208	3	CL01A310T-L	151155	RTA1-P	10	16	151194
TEFC	5	Century	12	E241	155048	111568	240	3	CL01A310T-S	151152	RTA1-P	10	16	151194
TEFC	5	Century	6	E241	155048	111568	480	3	CL00A310T-U	151148	RTA1-L	4	6.3	151191
TEFC	5	Century	4.8	E273	158170	111569	575	3	CL00A310T-Y	151149	RTA1-L	4	6.3	151191
TEFC	5	Century	22.8	K223	111567		240	1	CL04A310M-S	151166	RTA1-U	21	26	151198

Replacement Motors and Fan Blades for Obsolete Heaters

Motor sizes for old style Models XB, XC, XE, XJ, XD, DFAH

Select motor from the motor table on pages 16-17.

XB, XC, XE, XJ		XD		DFAH	
Size	HP	Size	HP	Size	HP
50 through 150	1/4	100, 175	1/2	500, 600	1-1/2
175, 200	1/3	200 through 300	3/4	700, 800	2
225, 250	1/2	350, 400	1		
300, 350	3/4				

Functional Replacement Fan Type Motors for Model UA and XA Units - All motors are 115/60/1; all motors are cradle mounted.

Heater Model and Size	HP	FR	Mfg	Style	RPM	Shaft	115/60/1 - P/N
UA 25, 35, 40, *XA50	12MM		GE	KSPIEL774H	1000	Thread	Not available from Reznor
UA 50, 60, 75, XA 50, 75	1/40	42	W	319P602	1000/800	1/2	11493
UA 90, 100, 105, XA 100, 125	1/20	D42	W	319P424	1140	1/2	9892
XA 150 and 175	1/8	DT42	W	319P423	1140	1/2	9775
XA 200 and 225	1/6	DT48	C	8-134666	1140	1/2	16072
XA 250 and 300	1/8	DT42	W	319P423	1140	1/2	(2) 9775
XA 350 and 400	1/6	DT48	C	8-134666	1140	1/2	(2) 16072

*Used on XA50 prior to Serial No. OD/N299, March 1963

Fan Blades for Model UA and XA Units

Heater Model and Size	Fan Blade Size	Replacement P/N
UA 25 and 35	9 x 33	Not available from Reznor
UA40, *XA50	10 x 23	Not available from Reznor
UA50, 60; XA0, 75, 100	12 x 32-1/2	47785
UA75	14 x 27-1/2	17909
UA 90, 100, 105	14 x 40-1/2	41004
XA 100 Series 2	15 x 38-1/2	125563 (replaces 3701)
XA125	15 x 38-1/2	125563 (replaces 3701)
XA250 through 225	18 x 33-1/2	12625
XA 250 and 300	16 x 36-1/2	45946
XA 350 and 400	18 x 33-1/2	12625

*Used on XA50 prior to Serial No. OD/N299, March 1963